

K.P. KAUFFMAN COMPANY, INC.

WORLD TRADE CENTER
1675 BROADWAY, 28TH FLOOR
DENVER, COLORADO 80202-4628

TELEPHONE (303) 825-4822
FACSIMILE (303) 825-4825
www.kpk.com

RECEIVED

AUG 24 2006

Office of Enforcement
Compliance & Environmental
Justice

August 22, 2006

Mr. Ken Phillips
EPA Region 8
999 18th Street, Suite 500
Denver, CO 80202-2466

RE: K. P. Kauffman Company, Inc. Wattenberg Disposal, LLC
Annual Pressure Falloff Test Report for Suckla Farms Injection Well #1

Dear Mr. Phillips:

Enclosed please find the Annual Pressure Falloff Test Report for 2006 for the above referenced facility. Also enclosed, per your request, is a Compact Disc with the report for 2005. The reports follow the layout and methodology contained in the EPA Region 6 UIC Pressure Falloff Testing Guideline, Third Revision, August 8, 2002.

If you have questions or need additional information, please contact Becky Malloy, of my staff, at 303-825-4822.

Sincerely,



Kent L. Gilbert
V.P. Exploration and Production

cc: KPK Files



Wattenberg Disposal, LLC
10137 Weld County Road 19
Ft. Lupton, CO 80621

Suckla Farms Injection Well #1

Section 10-T1N-R67W
Weld County, Colorado

EPA Permit No. CO10938-02115

Pressure Falloff Test
April 24, 2006 to May 1, 2006

Report Prepared By:
Peterson Energy Management, Inc.

U2 Entered
Date 8/30/2006
Initial ZJP

Suckla Farms Injection Well #1
EPA Permit #CO10938-02115
Pressure Falloff Test April 2006
Page 1 of 9

1) Company Name & Address

Wattenberg Disposal, LLC
1675 Broadway, Suite 2800
Denver, Colorado 80202

2) Test Well Name & Location

Suckla Farms Injection Well #1
NW/4 Section 10-T1N-R67W
Weld County, Colorado

3) Facility Contact Person

Kent Gilbert 303-825-4822

Report Prepared by:
Andy Peterson 970-669-7411
Peterson Energy Management, Inc.
1805 Morning Drive, Loveland CO 80538

4) Openhole Log

See attached Dual Induction Log run 07/02/89
Lyons Sandstone injection zone

5) Well Schematic

See attached well schematic diagram

Wellbore radius: 0.328'
Completed interval depths: Lyons injection perforations 9276'-9418'
Type of completion: cased & cemented, injection under a packer set at 9040'
via 2 7/8" fiber-lined tubing

6) Date of Fill Depth

Current fill depth is 9476', recorded in March, 2003.

7) Offset well information

The nearest well completed in the Lyons formation is the Wattenberg SWD #1, NWSW Section 19-2N-66W, operated by Kerr-McGee RMC. This well is approximately 4½ miles to the north-east. No interference between these two wells is assumed to occur for purposes of this analysis.

8) Chronological Listing of Daily Testing Activities

Company has been injecting water into the subject well during daylight hours for five to six days per week for the past year. Injection averages 800 bbls per day.

04/22/06	12:00	Intermittent daylight injection stopped, well shut in
04/24/06	10:33	Tandem gauges installed at 9029' WLM
04/25/06	09:45	Injection began at 77 BWPH
04/26/06	09:44	Injection stopped, 1855 BW injected
05/01/06	08:34	Gauges off bottom (SI 118.7 hrs)

9) Electronic Submission of Raw Data

Attached CD contains a zip file of raw time-pressure-temperature data (at packer depth) for both gauges.

10) Tabular Summary of Injection Rates

Tabular summary of injection rates for the month preceding the falloff test is attached, as is a rate vs. time plot for the previous month. This pressure-rate-time data is also included in a .csv file on the attached CD, with pressure data converted to perforation midpoint.

11) Offset Well Rate Information

As discussed above, no offset well rate information is considered to be useful in this test analysis.

12) Hard Copy of Time and Pressure Data

A tabular summary of raw time, pressure & temperature data (filtered to every 22nd point) is attached, along with a tabular summary of rate, time & pressure data converted to perforation midpoint, filtered to every 25th point..

13) Pressure Gauge Information

Top Gauge: 5000 psi Well Watchers HT electronic memory strain gauge SN5167, installed at 9029.0' WLM.

Pressure accuracy 0.05% (+/- 2.50 psi)

Pressure resolution 0.0003% of full scale (+/- 0.015 psi).

Last calibration 03/16/06, max error 0.97 psi, 0.25° F

Bottom Gauge: 5000 psi Well Watchers HT electronic memory strain gauge SN5345, installed at 9029.5' WLM.

Pressure accuracy 0.05% (+/- 2.50 psi)

Pressure resolution 0.0003% of full scale (+/- 0.015 psi).

Last calibration 03/16/06, max error 0.74 psi, 0.18° F

Calibration certificates for both gauges are attached.

Gauges supplied by Lightning Wireline (970-785-2670)

14) General Test Information

Date of test: Injection commenced April 25, 2006, ceased April 26, 2006.

Bottom hole pressure monitored from April 24, 2006 to May 01, 2006.

Rate/Time information plotted from March 1, 2006 to May 01, 2006

Time synchronization: see attached data files.

Location of shut-in valve: well was shut in at the wellhead

15) Reservoir Parameters

Water viscosity (μ): 0.238 cp (correlation)

Porosity (ϕ): 6% Density Log porosity (measured)

Total Compressibility (ct): 9.36e-06 (correlation)

Formation Volume Factor: 1.055 (correlation)

Initial Formation Reservoir Pressure: From the attached Multilayer Model – Falloff Analysis radial plot, p^* is approximately 3656 psia at perforation midpoint. This is 9 psi above the p^* estimated from the multilayer model radial analysis on the last pressure falloff test run in April, 2005. This indicates a slow filling of the reservoir volume with injected fluids. Depending on the analysis method and straight-line region chosen, various differing values for p^* can be picked.

Final injection pressure is approximately 4370 psi, 34 psi above the 24-hour injection pressure on the April, 2005, pressure falloff test.

A summary of historical estimated Initial Formation Reservoir Pressure (p^*) values at 9347' perforation mid-point using a 0.442 psi/ft hydrostatic gradient follows:

July, 1993

4417 psia, unreliable
(23 hour shut in, surface gauges, no radial flow)

November, 1997	3590 psia
October, 2001	3760 psia
February, 2003	3830 psia
April, 2004	3859 psia(radial plot, multi-layer synthesis)
April, 2005	3647 psia (radial plot, multi-layer synthesis)
April, 2006	3656 psia (radial plot, multi-layer synthesis)

Date Reservoir Pressure was last stabilized: Stabilization likely occurred during a workover in March, 2003, 37 months prior to this test. The 70 hour shut in period preceding the current test was not enough to see stabilization, as pressure was falling at the rate of 1.00 psi/hr at the start of injection.

Justified Interval Thickness: Tracer survey run 7/12/93 & temperature logs run 11/01/01 indicate entire 142' perforated interval is taking fluid. Wireline 1/8/03 & during 3/03 workover shows all perforations open.

Modeling of the current test (as discussed below in Section 20) achieves best results using a dual permeability, multi-layer model (75' at 0.083 md, 50' at 0.582 md).

16) Waste Plume

Cumulative injection volume into completed interval: 4,568,191 bbls as of April 30, 2006 at 11:59 PM (post-test volume, includes the 1855 bbls injected on the current test). This was arrived at by using injection volumes supplied by the Colorado Oil & Gas Conservation Commission through December, 1997, and injection volumes supplied by the operator from January, 1998, through April, 2006.

There were 185,362 bbls water injected into this well in the year since the last test.

Calculated radial distance to the waste front: We are unable to empirically calculate a distance to the waste front from this type of test as there is no contrast between historic waste plume viscosity and formation fluid viscosity.

Average historical waste fluid viscosity: To our knowledge, no direct viscosity measurements have been taken. Waste plume viscosity is assumed to be the same as formation fluid viscosity. Essentially all of the waste fluid

injected into the Suckla Farms #1 has been oilfield produced water, which does not have a significant contrast to the Lyons formation water.

17) Injection Period

Time: 9:45:34 AM 4/25/2006 to 9:44:37 4/26/2006, 1855 bbls

Type fluid: oilfield brine/produced water

Pump Type: Water plant injection pump

Rate Meter: Halliburton digital turbine meter. SWD tanks were strapped before & after to confirm volume.

Final injection pressure, surface: unknown

Final injection pressure, at 9347' mid-perf: 4370.54 psia

Final Injection Temperature, at 9029' gauge depth: 127.41° F

18) Falloff Period

Total shut-in time: 9:44 AM 4/26/06 to 8:34 AM 5/01/06, 118.72hours

Final shut-in pressure & temperature, at 9347' mid-perf:
3965.60 psig, 245.25 °F.

Time well went on vacuum: approximately 00:10 AM 4/27/06, 14.48 hours into shut in period (based on BHP & assumed hydrostatic gradient, no surface gauges were installed as previous tests had also gone on vacuum)

19) Pressure Gradient

No static gradient was run with this test. Based on the final static pressure, static fluid level would have been approximately 400' from surface.

20-21)Calculated Test Data and Corresponding Graphs

Please see attached graphs of the current test:

Data Chart (Rate & Pressure vs Time)

Falloff Period Radial Analysis

Injection Period Radial Analysis

Multi-Layer Cylinder Model – Injection

Multi-Layer Cylinder Model – Falloff

Linear Fracture Analysis - Falloff

The Rate vs Time plot shows bottomhole injection pressure had not stabilized after the 24 hour injection period. Injection pressure was still rising at the rate of +/-0.50 psi/hr. No pressure anomalies due to gauge temperature de-stabilization are evident during the test. Data quality appears good. Pressure change during later test times are 0.01-0.02 psi per time step (1 minute). Gauge resolution (0.015 psi) is adequate for the observed pressure change.

The Injection Period Radial Analysis plot shows a radial flow period starting at approximately 5 hours. The values obtained from this radial flow period are as follows: $k = 12.327 \text{ md}$, $s = +7.163$.

The Falloff Period Radial Analysis plot shows a short radial section at the 0.5 to 5 hour time interval. The values obtained from this short radial flow period are as follows: $k = 6.595 \text{ md}$, $s = -4.945$. Following this radial flow section, the falloff test shows a lengthy (5hr to 100 hr) linear (1/2 slope) section, which also shows a permeability value of 6.595 md, with a calculated skin of -5.679.

Using the permeability value calculated from the falloff period (6.595 md), we can calculate a radius of investigation from the falloff test as follows:

Radius of investigation = 2485'

Radius of Investigation equation: $r = \sqrt{(k t / 948 \phi \mu c t)}$, for $t = 118.7 \text{ hrs}$, with other parameters as defined above

Once again this year, we can also obtain a match by modeling the falloff period as a multi-layer reservoir, which fits with the geologic interpretation that it is unlikely that the entire 142' injection interval is homogeneous. The best iterative fit this year assumes a 75' layer with 0.08 md permeability and -5.768 skin, and a second 50' layer with 0.58 md permeability and -7.997 skin. This year we were also able to get a good match by modeling the injection period as a multilayer reservoir, with a 50' layer of 0.065 md permeability and -4.531 skin, plus a 25' layer of 6.40 permeability and 96.737 skin. The injection period model is not consistent with the other interpretations that all involve a negative skin.

We should note that it is likely that neither of the above multilayer solutions are exclusive. It is likely that a number of non-exclusive solutions with different layer characteristics are possible.

Reservoir parameters obtained from the falloff period multilayer model are as follows:

P* = 3991 psia
k₁ = 0.083 md, h₁=75'
kh₁ = 6.19 md-ft
s₁ = -5.768
k₂ = 0.582 md, h₂=50'
kh₂ = 29.1 md-ft
s₂ = -7.997

Radius of investigation calculations are as follows:

For the 50' layer assuming above parameters and 118.7 hrs test time:

R_i = 278'

For the 25' layer assuming above parameters and 118.7 hrs test time:

R_i = 738'

Assuming arithmetic weighted average permeability of 0.33 md, the radius of investigation is 558 feet.

Radius of Investigation equation: $r = \sqrt{(k t / 948 \phi \mu c t)}$ with parameters defined previously

Due to the variable rate conditions reported prior to this test, the plots in this report use a superposition time function. EPA Region VI guidelines recommend using a rate history of at least twice the length of the falloff test. Rate information for 55 days preceding the falloff test was used to generate the superposition. This is eleven times the duration of the falloff test.

Plots were generated using the F.A.S.T. WellTest v5.611 software package available from Fekete Associates, Inc., Calgary, Alberta, Canada. A .fkt data file is included on the attached CD.

22) Comparison with Petition Demonstration

Condition #5 on Page 12 in Permit # CO10938-02115 stipulates an upper limit of 8,300,000 barrels of injected waste. This corresponds with a waste front of 1,320', assuming piston displacement. The current volume of 4,568,191 barrels injected corresponds to a waste front of 979', assuming an injection interval of 142'. While the effective injection interval may be less than 142', the additional fracture porosity postulated in this and previous reports makes the 979' a conservative estimate of the radial front of the waste plume. If fractures exist, which we feel this report demonstrates, then the reservoir must contain additional storage in the fracture system, in addition to the 6% matrix porosity. This will have the effect of increasing the

effective porosity, which decreases the distance to the waste front for any assumed injection volume or effective zone height.

The injection front has progressed 20' since the April 2005 test. There is 341' remaining for the front to advance before the 1320' permit limit is reached. This represents 17 years of injection at current conditions.

Equation:

$$r = \sqrt{(5.615 V / (\pi h \phi))}$$

where $V = 4,568,191 \text{ bbls}$, $h = 142'$, $\phi = 0.06$

It is our opinion that the current test design is adequate to investigate this reservoir, given the constraints of daylight-only injection operations and available water storage. We recommend that subsequent tests follow this same design, which has now been used for two consecutive annual tests.

At some future date, if the operator is able to schedule a longer shut in period that coincides with planned maintenance work on the surface facilities, it would be beneficial to see how a longer shut in period affects the test results.

23) Radioactive Tracer Survey

A radioactive tracer was not run during this test. The last radioactive tracer survey run in the Suckla Farms #1 was done in July, 1993.

24) Unusual Permit Approval Conditions

We are not aware of any unusual permit approval conditions.

Report prepared for Wattenberg Disposal, LLC. by

PETERSON ENERGY MANAGEMENT, INC




Andrew S. Peterson, P.E.
August 19, 2006

Suckla Farms Injection Well #1
EPA Permit #CO10938-02115
Pressure Falloff Test April 2006
Page 9 of 9



Reference: EPA Region VI UIC Pressure Falloff Testing Guideline, Third
Revision, August 8, 2002

WELLBORE SCHEMATIC

WATTENBERG DISPOSAL
SUCKLA FARMS INJECTION WELL #1
NW/4 SECTION 10-1N-67W
WELD COUNTY, CO
05-123-14291



ASP
6/2/2004




Suckla Farms Injection Well #1 10-1N-67W


09300

09400

REF




SUCKLA FARMS INJ. WELL #1 PRESSURE FALLOFF TEST APRIL, 2006




Injection Period Radial Analysis

Total Test




Injection Period Radial Analysis

Radial




Injection Period Radial Analysis

Total Test




Injection Period Radial Analysis

Typecurve




Falloff Period Radial Analysis

Total Test




Falloff Period Radial Analysis

Radial




Falloff Period Radial Analysis

Total Test




Falloff Period Radial Analysis

Typecurve




Multilayer Model - Injection

Dimensionless Typecurve




Multilayer Model - Injection

Radial




Multilayer Model - Injection

Total Test




Multilayer Model - Injection

Typecurve




Multilayer Model - Falloff

Dimensionless Typecurve




Multilayer Model - Falloff

Radial




Multilayer Model - Falloff

Total Test




Multilayer Model - Falloff

Typecurve




Linear Fracture Analysis

Total Test




Linear Fracture Analysis

Radial




Linear Fracture Analysis

Total Test



Linear Fracture Analysis

Typecurve



SUCKLA FARMS INJECTION WELL #1**PRESSURE FALLOFF TEST****APRIL, 2006****Start Date 01-Mar-06****TABULAR RATE, TIME, PRESSURE****SANDFACE PRESSURES @ 9347' MPP**

Date & Clock Time	Cum. Time(h)	Pressure(psi)	Water Rate(bbl/d)
3/2/2006 9:45	22.50		0
3/2/2006 16:09	28.90		-3800
3/3/2006 9:45	46.50		0
3/4/2006 9:45	70.50		0
3/4/2006 14:39	75.40		-3800
3/5/2006 9:45	94.50		0
3/6/2006 9:45	118.50		0
3/6/2006 17:45	126.50		-1900
3/7/2006 9:45	142.50		0
3/7/2006 15:15	148.00		-3800
3/8/2006 9:45	166.50		0
3/8/2006 15:15	172.00		-3800
3/9/2006 9:45	190.50		0
3/9/2006 16:03	196.80		-3800
3/10/2006 9:45	214.50		0
3/10/2006 15:15	220.00		-3800
3/11/2006 9:45	238.50		0
3/11/2006 14:09	242.90		-1900
3/12/2006 9:45	262.50		0
3/13/2006 9:45	286.50		0
3/13/2006 13:39	290.40		-1900
3/14/2006 9:45	310.50		0
3/14/2006 14:09	314.90		-3800
3/15/2006 9:45	334.50		0
3/15/2006 14:33	339.30		-1900
3/16/2006 9:45	358.50		0
3/16/2006 13:39	362.40		-1900
3/17/2006 9:45	382.50		0
3/17/2006 15:21	388.10		-3800
3/18/2006 9:45	406.50		0
3/18/2006 13:45	410.50		-1900
3/19/2006 9:45	430.50		0
3/20/2006 9:45	454.50		0
3/20/2006 14:33	459.30		-1900
3/21/2006 9:45	478.50		0
3/21/2006 17:33	486.30		-1900
3/22/2006 9:45	502.50		0
3/22/2006 13:33	506.30		-1900
3/23/2006 9:45	526.50		0
3/23/2006 13:57	530.70		-1900
3/24/2006 9:45	550.50		0
3/24/2006 12:45	553.50		-1900
3/25/2006 9:45	574.50		0
3/27/2006 9:45	622.50		0
3/27/2006 15:09	627.90		-1900

3/28/2006 9:45	646.50		0
3/28/2006 17:21	654.10		-1900
3/29/2006 9:45	670.50		0
3/29/2006 14:27	675.20		-1900
3/30/2006 9:45	694.50		0
3/30/2006 18:15	703.00		-1900
3/31/2006 9:45	718.50		0
3/31/2006 17:21	726.10		-3800
4/1/2006 9:45	742.50		0
4/3/2006 9:45	790.50		0
4/3/2006 11:51	792.60		-1900
4/4/2006 9:45	814.50		0
4/4/2006 15:51	820.60		-3800
4/5/2006 9:45	838.50		0
4/5/2006 15:51	844.60		-3800
4/6/2006 9:45	862.50		0
4/6/2006 14:15	867.00		-3800
4/7/2006 9:45	886.50		0
4/7/2006 17:51	894.60		-3800
4/8/2006 9:45	910.50		0
4/8/2006 13:57	914.70		-1900
4/9/2006 9:45	934.50		0
4/10/2006 9:45	958.50		0
4/10/2006 13:57	962.70		-1900
4/11/2006 9:45	982.50		0
4/11/2006 15:39	988.40		-3800
4/12/2006 9:45	1006.50		0
4/12/2006 14:39	1011.40		-1900
4/13/2006 9:45	1030.50		0
4/13/2006 15:39	1036.40		-1900
4/14/2006 9:45	1054.50		0
4/14/2006 14:39	1059.40		-3800
4/15/2006 9:45	1078.50		0
4/15/2006 11:51	1080.60		-1900
4/16/2006 9:45	1102.50		0
4/17/2006 9:45	1126.50		0
4/17/2006 14:21	1131.10		-3800
4/18/2006 9:45	1150.50		0
4/18/2006 15:21	1156.10		-1900
4/19/2006 9:45	1174.50		0
4/19/2006 10:45	1175.50		-1900
4/20/2006 9:45	1198.50		0
4/20/2006 17:45	1206.50		-1900
4/21/2006 9:45	1222.50		0
4/21/2006 15:27	1228.20		-1900
4/22/2006 9:45	1246.50		0
4/22/2006 13:21	1250.10		-3800
4/23/2006 9:45	1270.50		0
4/24/2006 10:44	1295.49	4024.090	
4/24/2006 10:56	1295.69	4021.470	
4/24/2006 11:08	1295.89	4021.340	
4/24/2006 11:20	1296.09	4021.120	

4/24/2006 11:32	1296.29	4021.010
4/24/2006 11:44	1296.49	4020.830
4/24/2006 11:56	1296.69	4020.600
4/24/2006 12:08	1296.89	4020.440
4/24/2006 12:20	1297.09	4020.330
4/24/2006 12:32	1297.29	4020.210
4/24/2006 12:44	1297.49	4020.110
4/24/2006 12:56	1297.69	4019.990
4/24/2006 13:08	1297.89	4019.820
4/24/2006 13:20	1298.09	4019.590
4/24/2006 13:32	1298.29	4019.350
4/24/2006 13:44	1298.49	4019.110
4/24/2006 13:56	1298.69	4018.890
4/24/2006 14:08	1298.89	4018.650
4/24/2006 14:20	1299.09	4018.420
4/24/2006 14:32	1299.29	4018.180
4/24/2006 14:44	1299.49	4017.930
4/24/2006 14:56	1299.69	4017.680
4/24/2006 15:08	1299.89	4017.430
4/24/2006 15:20	1300.09	4017.130
4/24/2006 15:32	1300.29	4016.800
4/24/2006 15:44	1300.49	4016.470
4/24/2006 15:56	1300.69	4016.140
4/24/2006 16:08	1300.89	4015.810
4/24/2006 16:20	1301.09	4015.500
4/24/2006 16:32	1301.29	4015.170
4/24/2006 16:44	1301.49	4014.810
4/24/2006 16:56	1301.69	4014.420
4/24/2006 17:08	1301.89	4014.170
4/24/2006 17:20	1302.09	4013.930
4/24/2006 17:32	1302.29	4013.700
4/24/2006 17:44	1302.49	4013.520
4/24/2006 17:56	1302.69	4013.340
4/24/2006 18:08	1302.89	4013.170
4/24/2006 18:20	1303.09	4012.970
4/24/2006 18:32	1303.29	4012.770
4/24/2006 18:44	1303.49	4012.580
4/24/2006 18:56	1303.69	4012.360
4/24/2006 19:08	1303.89	4012.160
4/24/2006 19:20	1304.09	4011.950
4/24/2006 19:32	1304.29	4011.750
4/24/2006 19:44	1304.49	4011.550
4/24/2006 19:56	1304.69	4011.360
4/24/2006 20:08	1304.89	4011.160
4/24/2006 20:20	1305.09	4010.960
4/24/2006 20:32	1305.29	4010.770
4/24/2006 20:44	1305.49	4010.580
4/24/2006 20:56	1305.69	4010.380
4/24/2006 21:08	1305.89	4010.200
4/24/2006 21:20	1306.09	4010.010
4/24/2006 21:32	1306.29	4009.820
4/24/2006 21:44	1306.49	4009.620

4/24/2006 21:56	1306.69	4009.400
4/24/2006 22:08	1306.89	4009.180
4/24/2006 22:20	1307.09	4008.960
4/24/2006 22:32	1307.29	4008.730
4/24/2006 22:44	1307.49	4008.510
4/24/2006 22:56	1307.69	4008.290
4/24/2006 23:08	1307.89	4008.080
4/24/2006 23:20	1308.09	4007.870
4/24/2006 23:32	1308.29	4007.650
4/24/2006 23:44	1308.49	4007.440
4/24/2006 23:56	1308.69	4007.230
4/25/2006 0:08	1308.89	4007.030
4/25/2006 0:20	1309.09	4006.820
4/25/2006 0:32	1309.29	4006.620
4/25/2006 0:44	1309.49	4006.420
4/25/2006 0:56	1309.69	4006.210
4/25/2006 1:08	1309.89	4006.010
4/25/2006 1:20	1310.09	4005.810
4/25/2006 1:32	1310.29	4005.610
4/25/2006 1:44	1310.49	4005.410
4/25/2006 1:56	1310.69	4005.220
4/25/2006 2:08	1310.89	4005.020
4/25/2006 2:20	1311.09	4004.820
4/25/2006 2:32	1311.29	4004.630
4/25/2006 2:44	1311.49	4004.430
4/25/2006 2:56	1311.69	4004.230
4/25/2006 3:08	1311.89	4004.040
4/25/2006 3:20	1312.09	4003.840
4/25/2006 3:32	1312.29	4003.660
4/25/2006 3:44	1312.49	4003.470
4/25/2006 3:56	1312.69	4003.270
4/25/2006 4:08	1312.89	4003.080
4/25/2006 4:20	1313.09	4002.880
4/25/2006 4:32	1313.29	4002.680
4/25/2006 4:44	1313.49	4002.480
4/25/2006 4:56	1313.69	4002.280
4/25/2006 5:08	1313.89	4002.090
4/25/2006 5:20	1314.09	4001.880
4/25/2006 5:32	1314.29	4001.670
4/25/2006 5:44	1314.49	4001.470
4/25/2006 5:56	1314.69	4001.270
4/25/2006 6:08	1314.89	4001.070
4/25/2006 6:20	1315.09	4000.870
4/25/2006 6:32	1315.29	4000.670
4/25/2006 6:44	1315.49	4000.460
4/25/2006 6:56	1315.69	4000.260
4/25/2006 7:08	1315.89	4000.060
4/25/2006 7:20	1316.09	3999.860
4/25/2006 7:32	1316.29	3999.650
4/25/2006 7:44	1316.49	3999.440
4/25/2006 7:56	1316.69	3999.240
4/25/2006 8:08	1316.89	3999.040

4/25/2006 8:20	1317.09	3998.840	
4/25/2006 8:32	1317.29	3998.640	
4/25/2006 8:44	1317.49	3998.440	
4/25/2006 8:56	1317.69	3998.240	
4/25/2006 9:08	1317.89	3998.030	
4/25/2006 9:20	1318.09	3997.820	
4/25/2006 9:32	1318.29	3997.730	
4/25/2006 9:44	1318.49	3997.580	
4/25/2006 9:45	1318.50	3997.600	
4/25/2006 9:45	1318.51	4044.890	-1855
4/25/2006 9:57	1318.71	4200.920	
4/25/2006 10:09	1318.91	4235.080	
4/25/2006 10:21	1319.11	4256.980	
4/25/2006 10:33	1319.31	4277.610	
4/25/2006 10:45	1319.51	4286.890	
4/25/2006 10:57	1319.71	4295.130	
4/25/2006 11:09	1319.91	4300.720	
4/25/2006 11:21	1320.11	4306.320	
4/25/2006 11:33	1320.31	4312.320	
4/25/2006 11:45	1320.51	4317.540	
4/25/2006 11:57	1320.71	4321.320	
4/25/2006 12:09	1320.91	4326.050	
4/25/2006 12:21	1321.11	4329.030	
4/25/2006 12:33	1321.31	4331.820	
4/25/2006 12:45	1321.51	4334.110	
4/25/2006 12:57	1321.71	4335.860	
4/25/2006 13:09	1321.91	4338.170	
4/25/2006 13:21	1322.11	4338.890	
4/25/2006 13:33	1322.31	4341.440	
4/25/2006 13:45	1322.51	4342.270	
4/25/2006 13:57	1322.71	4343.310	
4/25/2006 14:09	1322.91	4344.310	
4/25/2006 14:21	1323.11	4344.910	
4/25/2006 14:33	1323.31	4345.700	
4/25/2006 14:45	1323.51	4346.160	
4/25/2006 14:57	1323.71	4346.830	
4/25/2006 15:09	1323.91	4347.450	
4/25/2006 15:21	1324.11	4347.800	
4/25/2006 15:33	1324.31	4348.490	
4/25/2006 15:45	1324.51	4348.560	
4/25/2006 15:57	1324.71	4349.610	
4/25/2006 16:09	1324.91	4349.530	
4/25/2006 16:21	1325.11	4350.400	
4/25/2006 16:33	1325.31	4350.260	
4/25/2006 16:45	1325.51	4351.380	
4/25/2006 16:57	1325.71	4351.080	
4/25/2006 17:09	1325.91	4351.880	
4/25/2006 17:21	1326.11	4351.590	
4/25/2006 17:33	1326.31	4352.280	
4/25/2006 17:45	1326.51	4352.580	
4/25/2006 17:57	1326.71	4352.730	
4/25/2006 18:09	1326.91	4353.230	

4/25/2006 18:21	1327.11	4353.770	
4/25/2006 18:33	1327.31	4353.900	
4/25/2006 18:45	1327.51	4353.880	
4/25/2006 18:57	1327.71	4354.560	
4/25/2006 19:09	1327.91	4354.540	
4/25/2006 19:21	1328.11	4355.160	
4/25/2006 19:33	1328.31	4355.730	
4/25/2006 19:45	1328.51	4355.300	
4/25/2006 19:57	1328.71	4355.270	
4/25/2006 20:09	1328.91	4355.520	
4/25/2006 20:21	1329.11	4355.430	
4/25/2006 20:33	1329.31	4355.760	
4/25/2006 20:45	1329.51	4356.280	
4/25/2006 20:57	1329.71	4356.530	
4/25/2006 21:09	1329.91	4356.670	
4/25/2006 21:21	1330.11	4357.160	
4/25/2006 21:33	1330.31	4356.950	
4/25/2006 21:45	1330.50	4357.880	
4/25/2006 21:51	1330.60	4357.500	
4/25/2006 21:57	1330.70	4357.730	
4/25/2006 22:03	1330.80	4357.490	
4/25/2006 22:09	1330.90	4357.900	
4/25/2006 22:15	1331.00	4357.940	
4/25/2006 22:21	1331.10	4357.990	
4/25/2006 22:27	1331.20	4358.090	
4/25/2006 22:33	1331.30	4358.040	
4/25/2006 22:39	1331.40	4357.880	
4/25/2006 22:45	1331.50	4358.420	
4/25/2006 22:51	1331.60	4358.500	
4/25/2006 22:57	1331.70	4358.460	
4/25/2006 23:03	1331.80	4358.640	
4/25/2006 23:09	1331.90	4358.500	
4/25/2006 23:15	1332.00	4358.910	
4/25/2006 23:21	1332.10	4358.960	
4/25/2006 23:27	1332.20	4359.130	
4/25/2006 23:33	1332.30	4359.280	
4/25/2006 23:39	1332.40	4359.400	
4/25/2006 23:45	1332.50	4359.220	
4/25/2006 23:51	1332.60	4359.670	
4/25/2006 23:57	1332.70	4359.740	
4/26/2006 0:03	1332.80	4359.690	
4/26/2006 0:09	1332.90	4359.660	
4/26/2006 0:15	1333.00	4360.390	
4/26/2006 0:21	1333.10	4360.230	
4/26/2006 0:27	1333.20	4360.530	
4/26/2006 0:33	1333.30	4359.880	
4/26/2006 0:39	1333.40	4360.510	
4/26/2006 0:45	1333.50	4360.050	
4/26/2006 0:51	1333.60	4360.750	
4/26/2006 0:57	1333.70	4360.730	
4/26/2006 1:03	1333.80	4360.980	
4/26/2006 1:09	1333.90	4360.660	

4/26/2006 1:15	1334.00	4360.720
4/26/2006 1:21	1334.10	4360.880
4/26/2006 1:27	1334.20	4361.050
4/26/2006 1:33	1334.30	4361.290
4/26/2006 1:39	1334.40	4361.390
4/26/2006 1:45	1334.50	4361.200
4/26/2006 1:51	1334.60	4361.700
4/26/2006 1:57	1334.70	4361.680
4/26/2006 2:03	1334.80	4361.590
4/26/2006 2:09	1334.90	4361.980
4/26/2006 2:15	1335.00	4362.300
4/26/2006 2:21	1335.10	4362.120
4/26/2006 2:27	1335.20	4362.140
4/26/2006 2:33	1335.30	4362.320
4/26/2006 2:39	1335.40	4362.590
4/26/2006 2:45	1335.50	4363.050
4/26/2006 2:51	1335.60	4362.910
4/26/2006 2:57	1335.70	4363.020
4/26/2006 3:03	1335.80	4362.750
4/26/2006 3:09	1335.90	4363.420
4/26/2006 3:15	1336.00	4363.510
4/26/2006 3:21	1336.10	4363.250
4/26/2006 3:27	1336.20	4363.540
4/26/2006 3:33	1336.30	4363.740
4/26/2006 3:39	1336.40	4363.750
4/26/2006 3:45	1336.50	4363.450
4/26/2006 3:51	1336.60	4363.950
4/26/2006 3:57	1336.70	4363.980
4/26/2006 4:03	1336.80	4363.920
4/26/2006 4:09	1336.90	4364.390
4/26/2006 4:15	1337.00	4364.530
4/26/2006 4:21	1337.10	4364.860
4/26/2006 4:27	1337.20	4364.730
4/26/2006 4:33	1337.30	4364.450
4/26/2006 4:39	1337.40	4364.950
4/26/2006 4:45	1337.50	4365.050
4/26/2006 4:51	1337.60	4364.820
4/26/2006 4:57	1337.70	4365.060
4/26/2006 5:03	1337.80	4365.010
4/26/2006 5:09	1337.90	4364.970
4/26/2006 5:15	1338.00	4365.130
4/26/2006 5:21	1338.10	4365.440
4/26/2006 5:27	1338.20	4365.530
4/26/2006 5:33	1338.30	4365.280
4/26/2006 5:39	1338.40	4365.490
4/26/2006 5:45	1338.50	4365.830
4/26/2006 5:51	1338.60	4365.940
4/26/2006 5:57	1338.70	4365.860
4/26/2006 6:03	1338.80	4366.000
4/26/2006 6:09	1338.90	4366.380
4/26/2006 6:15	1339.00	4366.490
4/26/2006 6:21	1339.10	4366.440

4/26/2006 6:27	1339.20	4366.470	
4/26/2006 6:33	1339.30	4366.330	
4/26/2006 6:39	1339.40	4366.750	
4/26/2006 6:45	1339.50	4366.900	
4/26/2006 6:51	1339.60	4367.500	
4/26/2006 6:57	1339.70	4367.430	
4/26/2006 7:03	1339.80	4367.340	
4/26/2006 7:09	1339.90	4367.490	
4/26/2006 7:15	1340.00	4367.890	
4/26/2006 7:21	1340.10	4367.870	
4/26/2006 7:27	1340.20	4368.020	
4/26/2006 7:33	1340.30	4368.050	
4/26/2006 7:39	1340.40	4367.910	
4/26/2006 7:45	1340.50	4368.220	
4/26/2006 7:51	1340.60	4368.240	
4/26/2006 7:57	1340.70	4368.540	
4/26/2006 8:03	1340.80	4368.740	
4/26/2006 8:09	1340.90	4368.610	
4/26/2006 8:15	1341.00	4369.020	
4/26/2006 8:21	1341.10	4368.830	
4/26/2006 8:27	1341.20	4369.180	
4/26/2006 8:33	1341.30	4369.320	
4/26/2006 8:39	1341.40	4369.440	
4/26/2006 8:45	1341.50	4369.190	
4/26/2006 8:51	1341.60	4369.720	
4/26/2006 8:57	1341.70	4369.410	
4/26/2006 9:03	1341.80	4370.200	
4/26/2006 9:09	1341.90	4369.940	
4/26/2006 9:15	1342.00	4369.850	
4/26/2006 9:21	1342.10	4370.010	
4/26/2006 9:27	1342.20	4370.300	
4/26/2006 9:33	1342.30	4370.490	
4/26/2006 9:39	1342.40	4369.950	
4/26/2006 9:44	1342.49	4370.600	
4/26/2006 9:44	1342.49	4354.860	0
4/26/2006 9:50	1342.59	4334.630	
4/26/2006 9:56	1342.69	4323.670	
4/26/2006 10:02	1342.79	4314.800	
4/26/2006 10:08	1342.89	4307.620	
4/26/2006 10:14	1342.99	4301.440	
4/26/2006 10:20	1343.09	4296.220	
4/26/2006 10:26	1343.19	4291.700	
4/26/2006 10:32	1343.29	4287.390	
4/26/2006 10:38	1343.39	4283.510	
4/26/2006 10:44	1343.49	4280.210	
4/26/2006 10:50	1343.59	4277.460	
4/26/2006 10:56	1343.69	4275.000	
4/26/2006 11:02	1343.79	4272.700	
4/26/2006 11:08	1343.89	4270.530	
4/26/2006 11:14	1343.99	4268.520	
4/26/2006 11:20	1344.09	4266.650	
4/26/2006 11:26	1344.19	4264.870	

4/26/2006 11:32	1344.29	4263.080
4/26/2006 11:38	1344.39	4261.280
4/26/2006 11:44	1344.49	4259.490
4/26/2006 11:50	1344.59	4257.750
4/26/2006 11:56	1344.69	4256.050
4/26/2006 12:02	1344.79	4254.410
4/26/2006 12:08	1344.89	4252.840
4/26/2006 12:14	1344.99	4251.330
4/26/2006 12:20	1345.09	4249.900
4/26/2006 12:26	1345.19	4248.540
4/26/2006 12:32	1345.29	4247.240
4/26/2006 12:38	1345.39	4246.010
4/26/2006 12:44	1345.49	4244.820
4/26/2006 12:50	1345.59	4243.650
4/26/2006 12:56	1345.69	4242.490
4/26/2006 13:02	1345.79	4241.320
4/26/2006 13:08	1345.89	4240.170
4/26/2006 13:14	1345.99	4239.020
4/26/2006 13:20	1346.09	4237.870
4/26/2006 13:26	1346.19	4236.750
4/26/2006 13:32	1346.29	4235.640
4/26/2006 13:38	1346.39	4234.540
4/26/2006 13:44	1346.49	4233.460
4/26/2006 13:50	1346.59	4232.370
4/26/2006 13:56	1346.69	4231.280
4/26/2006 14:02	1346.79	4230.170
4/26/2006 14:08	1346.89	4229.060
4/26/2006 14:14	1346.99	4227.930
4/26/2006 14:20	1347.09	4226.800
4/26/2006 14:26	1347.19	4225.670
4/26/2006 14:32	1347.29	4224.530
4/26/2006 14:38	1347.39	4223.400
4/26/2006 14:44	1347.49	4222.280
4/26/2006 14:50	1347.59	4221.150
4/26/2006 14:56	1347.69	4220.030
4/26/2006 15:02	1347.79	4218.920
4/26/2006 15:08	1347.89	4217.810
4/26/2006 15:14	1347.99	4216.710
4/26/2006 15:20	1348.09	4215.610
4/26/2006 15:26	1348.19	4214.520
4/26/2006 15:32	1348.29	4213.440
4/26/2006 15:38	1348.39	4212.380
4/26/2006 15:44	1348.49	4211.320
4/26/2006 15:50	1348.59	4210.280
4/26/2006 15:56	1348.69	4209.260
4/26/2006 16:02	1348.79	4208.240
4/26/2006 16:08	1348.89	4207.240
4/26/2006 16:14	1348.99	4206.230
4/26/2006 16:20	1349.09	4205.240
4/26/2006 16:26	1349.19	4204.250
4/26/2006 16:32	1349.29	4203.270
4/26/2006 16:38	1349.39	4202.310

4/26/2006 16:44	1349.49	4201.370	
4/26/2006 16:50	1349.59	4200.420	
4/26/2006 16:56	1349.69	4199.490	
4/26/2006 17:02	1349.79	4198.560	
4/26/2006 17:08	1349.89	4197.640	
4/26/2006 17:14	1349.99	4196.740	
4/26/2006 17:20	1350.09	4195.850	
4/26/2006 17:26	1350.19	4194.950	
4/26/2006 17:32	1350.29	4194.080	
4/26/2006 17:38	1350.39	4193.210	
4/26/2006 17:44	1350.49	4192.360	
4/26/2006 17:50	1350.59	4191.510	
4/26/2006 17:56	1350.69	4190.660	
4/26/2006 18:02	1350.79	4189.820	
4/26/2006 18:08	1350.89	4188.980	
4/26/2006 18:14	1350.99	4188.150	
4/26/2006 18:20	1351.09	4187.320	
4/26/2006 18:26	1351.19	4186.490	
4/26/2006 18:32	1351.29	4185.680	
4/26/2006 18:38	1351.39	4184.880	
4/26/2006 18:44	1351.49	4184.070	
4/26/2006 18:50	1351.59	4183.270	
4/26/2006 18:56	1351.69	4182.460	
4/26/2006 19:02	1351.79	4181.660	
4/26/2006 19:08	1351.89	4180.860	
4/26/2006 19:14	1351.99	4180.070	
4/26/2006 19:20	1352.09	4179.280	
4/26/2006 19:26	1352.19	4178.500	
4/26/2006 19:32	1352.29	4177.730	
4/26/2006 19:38	1352.39	4176.960	
4/26/2006 19:44	1352.49	4176.200	
4/26/2006 19:50	1352.59	4175.460	
4/26/2006 19:56	1352.69	4174.720	
4/26/2006 20:02	1352.79	4173.950	
4/26/2006 20:08	1352.89	4173.190	
4/26/2006 20:14	1352.99	4172.430	
4/26/2006 20:20	1353.09	4171.680	
4/26/2006 20:26	1353.19	4170.930	
4/26/2006 20:32	1353.29	4170.200	
4/26/2006 20:38	1353.39	4169.480	
4/26/2006 20:44	1353.49	4168.760	
4/26/2006 20:50	1353.59	4168.060	
4/26/2006 20:56	1353.69	4167.370	
4/26/2006 21:02	1353.79	4166.640	
4/26/2006 21:08	1353.89	4165.910	
4/26/2006 21:14	1353.99	4165.170	
4/26/2006 21:20	1354.09	4164.440	
4/26/2006 21:26	1354.19	4163.720	
4/26/2006 21:32	1354.29	4163.000	
4/26/2006 21:38	1354.39	4162.280	
4/26/2006 21:44	1354.49	4161.560	
4/26/2006 21:50	1354.59	4160.850	

4/26/2006 21:56	1354.69	4160.130
4/26/2006 22:02	1354.79	4159.420
4/26/2006 22:08	1354.89	4158.700
4/26/2006 22:14	1354.99	4158.000
4/26/2006 22:20	1355.09	4157.280
4/26/2006 22:26	1355.19	4156.570
4/26/2006 22:32	1355.29	4155.870
4/26/2006 22:38	1355.39	4155.170
4/26/2006 22:44	1355.49	4154.470
4/26/2006 22:50	1355.59	4153.780
4/26/2006 22:56	1355.69	4153.090
4/26/2006 23:02	1355.79	4152.400
4/26/2006 23:08	1355.89	4151.720
4/26/2006 23:14	1355.99	4151.040
4/26/2006 23:20	1356.09	4150.380
4/26/2006 23:26	1356.19	4149.710
4/26/2006 23:32	1356.29	4149.050
4/26/2006 23:38	1356.39	4148.390
4/26/2006 23:44	1356.49	4147.730
4/26/2006 23:50	1356.59	4147.080
4/26/2006 23:56	1356.69	4146.430
4/27/2006 0:02	1356.79	4145.790
4/27/2006 0:08	1356.89	4145.160
4/27/2006 0:14	1356.99	4144.530
4/27/2006 0:20	1357.09	4143.900
4/27/2006 0:26	1357.19	4143.270
4/27/2006 0:32	1357.29	4142.660
4/27/2006 0:38	1357.39	4142.030
4/27/2006 0:44	1357.49	4141.420
4/27/2006 0:50	1357.59	4140.810
4/27/2006 0:56	1357.69	4140.190
4/27/2006 1:02	1357.79	4139.580
4/27/2006 1:08	1357.89	4138.970
4/27/2006 1:14	1357.99	4138.360
4/27/2006 1:20	1358.09	4137.760
4/27/2006 1:26	1358.19	4137.170
4/27/2006 1:32	1358.29	4136.580
4/27/2006 1:38	1358.39	4135.990
4/27/2006 1:44	1358.49	4135.420
4/27/2006 1:50	1358.59	4134.840
4/27/2006 1:56	1358.69	4134.260
4/27/2006 2:02	1358.79	4133.690
4/27/2006 2:08	1358.89	4133.120
4/27/2006 2:14	1358.99	4132.560
4/27/2006 2:20	1359.09	4131.990
4/27/2006 2:26	1359.19	4131.430
4/27/2006 2:32	1359.29	4130.870
4/27/2006 2:38	1359.39	4130.320
4/27/2006 2:44	1359.49	4129.770
4/27/2006 2:50	1359.59	4129.210
4/27/2006 2:56	1359.69	4128.670
4/27/2006 3:02	1359.79	4128.130

4/27/2006 3:08	1359.89	4127.590	
4/27/2006 3:14	1359.99	4127.050	
4/27/2006 3:20	1360.09	4126.520	
4/27/2006 3:26	1360.19	4126.000	
4/27/2006 3:32	1360.29	4125.480	
4/27/2006 3:38	1360.39	4124.950	
4/27/2006 3:44	1360.49	4124.430	
4/27/2006 3:50	1360.59	4123.920	
4/27/2006 3:56	1360.69	4123.400	
4/27/2006 4:02	1360.79	4122.900	
4/27/2006 4:08	1360.89	4122.390	
4/27/2006 4:14	1360.99	4121.880	
4/27/2006 4:20	1361.09	4121.380	
4/27/2006 4:26	1361.19	4120.870	
4/27/2006 4:32	1361.29	4120.380	
4/27/2006 4:38	1361.39	4119.880	
4/27/2006 4:44	1361.49	4119.390	
4/27/2006 4:50	1361.59	4118.900	
4/27/2006 4:56	1361.69	4118.420	
4/27/2006 5:02	1361.79	4117.940	
4/27/2006 5:08	1361.89	4117.460	
4/27/2006 5:14	1361.99	4116.980	
4/27/2006 5:20	1362.09	4116.510	
4/27/2006 5:26	1362.19	4116.040	
4/27/2006 5:32	1362.29	4115.560	
4/27/2006 5:38	1362.39	4115.100	
4/27/2006 5:44	1362.49	4114.630	
4/27/2006 5:50	1362.59	4114.170	
4/27/2006 5:56	1362.69	4113.710	
4/27/2006 6:02	1362.79	4113.260	
4/27/2006 6:08	1362.89	4112.800	
4/27/2006 6:14	1362.99	4112.350	
4/27/2006 6:20	1363.09	4111.900	
4/27/2006 6:26	1363.19	4111.450	
4/27/2006 6:32	1363.29	4111.000	
4/27/2006 6:38	1363.39	4110.560	
4/27/2006 6:44	1363.49	4110.120	
4/27/2006 6:50	1363.59	4109.680	
4/27/2006 6:56	1363.69	4109.240	
4/27/2006 7:02	1363.79	4108.800	
4/27/2006 7:08	1363.89	4108.360	
4/27/2006 7:14	1363.99	4107.930	
4/27/2006 7:20	1364.09	4107.500	
4/27/2006 7:26	1364.19	4107.070	
4/27/2006 7:32	1364.29	4106.640	
4/27/2006 7:38	1364.39	4106.220	
4/27/2006 7:44	1364.49	4105.800	
4/27/2006 7:50	1364.59	4105.370	
4/27/2006 7:56	1364.69	4104.950	
4/27/2006 8:02	1364.79	4104.530	
4/27/2006 8:08	1364.89	4104.110	
4/27/2006 8:14	1364.99	4103.700	

4/27/2006 8:20	1365.09	4103.280
4/27/2006 8:26	1365.19	4102.880
4/27/2006 8:32	1365.29	4102.460
4/27/2006 8:38	1365.39	4102.060
4/27/2006 8:44	1365.49	4101.650
4/27/2006 8:50	1365.59	4101.240
4/27/2006 8:56	1365.69	4100.840
4/27/2006 9:02	1365.79	4100.440
4/27/2006 9:08	1365.89	4100.040
4/27/2006 9:14	1365.99	4099.650
4/27/2006 9:20	1366.09	4099.250
4/27/2006 9:26	1366.19	4098.860
4/27/2006 9:32	1366.29	4098.460
4/27/2006 9:38	1366.39	4098.070
4/27/2006 9:45	1366.50	4097.660
4/27/2006 9:57	1366.70	4096.910
4/27/2006 10:09	1366.90	4096.150
4/27/2006 10:21	1367.10	4095.390
4/27/2006 10:33	1367.30	4094.650
4/27/2006 10:45	1367.50	4093.940
4/27/2006 10:57	1367.70	4093.220
4/27/2006 11:09	1367.90	4092.510
4/27/2006 11:21	1368.10	4091.810
4/27/2006 11:33	1368.30	4091.110
4/27/2006 11:45	1368.50	4090.420
4/27/2006 11:57	1368.70	4089.730
4/27/2006 12:09	1368.90	4089.040
4/27/2006 12:21	1369.10	4088.360
4/27/2006 12:33	1369.30	4087.710
4/27/2006 12:45	1369.50	4087.060
4/27/2006 12:57	1369.70	4086.420
4/27/2006 13:09	1369.90	4085.780
4/27/2006 13:21	1370.10	4085.150
4/27/2006 13:33	1370.30	4084.510
4/27/2006 13:45	1370.50	4083.890
4/27/2006 13:57	1370.70	4083.270
4/27/2006 14:09	1370.90	4082.650
4/27/2006 14:21	1371.10	4082.050
4/27/2006 14:33	1371.30	4081.460
4/27/2006 14:45	1371.50	4080.870
4/27/2006 14:57	1371.70	4080.290
4/27/2006 15:09	1371.90	4079.700
4/27/2006 15:21	1372.10	4079.110
4/27/2006 15:33	1372.30	4078.530
4/27/2006 15:45	1372.50	4077.950
4/27/2006 15:57	1372.70	4077.390
4/27/2006 16:09	1372.90	4076.840
4/27/2006 16:21	1373.10	4076.290
4/27/2006 16:33	1373.30	4075.730
4/27/2006 16:45	1373.50	4075.190
4/27/2006 16:57	1373.70	4074.640
4/27/2006 17:09	1373.90	4074.110

4/27/2006 17:21	1374.10	4073.580
4/27/2006 17:33	1374.30	4073.040
4/27/2006 17:45	1374.50	4072.530
4/27/2006 17:57	1374.70	4071.990
4/27/2006 18:09	1374.90	4071.460
4/27/2006 18:21	1375.10	4070.940
4/27/2006 18:33	1375.30	4070.420
4/27/2006 18:45	1375.50	4069.900
4/27/2006 18:57	1375.70	4069.390
4/27/2006 19:09	1375.90	4068.870
4/27/2006 19:21	1376.10	4068.350
4/27/2006 19:33	1376.30	4067.840
4/27/2006 19:45	1376.50	4067.330
4/27/2006 19:57	1376.70	4066.830
4/27/2006 20:09	1376.90	4066.330
4/27/2006 20:21	1377.10	4065.840
4/27/2006 20:33	1377.30	4065.350
4/27/2006 20:45	1377.50	4064.860
4/27/2006 20:57	1377.70	4064.370
4/27/2006 21:09	1377.90	4063.890
4/27/2006 21:21	1378.10	4063.390
4/27/2006 21:33	1378.30	4062.910
4/27/2006 21:45	1378.50	4062.430
4/27/2006 21:57	1378.70	4061.960
4/27/2006 22:09	1378.90	4061.480
4/27/2006 22:21	1379.10	4061.020
4/27/2006 22:33	1379.30	4060.560
4/27/2006 22:45	1379.50	4060.110
4/27/2006 22:57	1379.70	4059.660
4/27/2006 23:09	1379.90	4059.200
4/27/2006 23:21	1380.10	4058.760
4/27/2006 23:33	1380.30	4058.310
4/27/2006 23:45	1380.50	4057.880
4/27/2006 23:57	1380.70	4057.450
4/28/2006 0:09	1380.90	4057.010
4/28/2006 0:21	1381.10	4056.570
4/28/2006 0:33	1381.30	4056.140
4/28/2006 0:45	1381.50	4055.720
4/28/2006 0:57	1381.70	4055.290
4/28/2006 1:09	1381.90	4054.860
4/28/2006 1:21	1382.10	4054.440
4/28/2006 1:33	1382.30	4054.010
4/28/2006 1:45	1382.50	4053.590
4/28/2006 1:57	1382.70	4053.180
4/28/2006 2:09	1382.90	4052.760
4/28/2006 2:21	1383.10	4052.350
4/28/2006 2:33	1383.30	4051.940
4/28/2006 2:45	1383.50	4051.540
4/28/2006 2:57	1383.70	4051.130
4/28/2006 3:09	1383.90	4050.740
4/28/2006 3:21	1384.10	4050.350
4/28/2006 3:33	1384.30	4049.970

4/28/2006 3:45	1384.50	4049.590	
4/28/2006 3:57	1384.70	4049.220	
4/28/2006 4:09	1384.90	4048.860	
4/28/2006 4:21	1385.10	4048.490	
4/28/2006 4:33	1385.30	4048.120	
4/28/2006 4:45	1385.50	4047.770	
4/28/2006 4:57	1385.70	4047.420	
4/28/2006 5:09	1385.90	4047.070	
4/28/2006 5:21	1386.10	4046.720	
4/28/2006 5:33	1386.30	4046.380	
4/28/2006 5:45	1386.50	4046.020	
4/28/2006 5:57	1386.70	4045.680	
4/28/2006 6:09	1386.90	4045.340	
4/28/2006 6:21	1387.10	4044.980	
4/28/2006 6:33	1387.30	4044.640	
4/28/2006 6:45	1387.50	4044.290	
4/28/2006 6:57	1387.70	4043.940	
4/28/2006 7:09	1387.90	4043.600	
4/28/2006 7:21	1388.10	4043.240	
4/28/2006 7:33	1388.30	4042.890	
4/28/2006 7:45	1388.50	4042.530	
4/28/2006 7:57	1388.70	4042.170	
4/28/2006 8:09	1388.90	4041.820	
4/28/2006 8:21	1389.10	4041.470	
4/28/2006 8:33	1389.30	4041.110	
4/28/2006 8:45	1389.50	4040.750	
4/28/2006 8:57	1389.70	4040.400	
4/28/2006 9:09	1389.90	4040.050	
4/28/2006 9:21	1390.10	4039.690	
4/28/2006 9:33	1390.30	4039.340	
4/28/2006 9:45	1390.50	4038.980	
4/28/2006 9:57	1390.70	4038.630	
4/28/2006 10:09	1390.90	4038.280	
4/28/2006 10:21	1391.10	4037.930	
4/28/2006 10:33	1391.30	4037.580	
4/28/2006 10:45	1391.50	4037.230	
4/28/2006 10:57	1391.70	4036.880	
4/28/2006 11:09	1391.90	4036.540	
4/28/2006 11:21	1392.10	4036.190	
4/28/2006 11:33	1392.30	4035.840	
4/28/2006 11:45	1392.50	4035.500	
4/28/2006 11:57	1392.70	4035.170	
4/28/2006 12:09	1392.90	4034.830	
4/28/2006 12:21	1393.10	4034.490	
4/28/2006 12:33	1393.30	4034.160	
4/28/2006 12:45	1393.50	4033.830	
4/28/2006 12:57	1393.70	4033.510	
4/28/2006 13:09	1393.90	4033.180	
4/28/2006 13:21	1394.10	4032.860	
4/28/2006 13:33	1394.30	4032.540	
4/28/2006 13:45	1394.50	4032.230	
4/28/2006 13:57	1394.70	4031.910	

4/28/2006 14:09	1394.90	4031.600
4/28/2006 14:21	1395.10	4031.290
4/28/2006 14:33	1395.30	4030.990
4/28/2006 14:45	1395.50	4030.680
4/28/2006 14:57	1395.70	4030.380
4/28/2006 15:09	1395.90	4030.080
4/28/2006 15:21	1396.10	4029.780
4/28/2006 15:33	1396.30	4029.480
4/28/2006 15:45	1396.50	4029.190
4/28/2006 15:57	1396.70	4028.900
4/28/2006 16:09	1396.90	4028.610
4/28/2006 16:21	1397.10	4028.320
4/28/2006 16:33	1397.30	4028.040
4/28/2006 16:45	1397.50	4027.750
4/28/2006 16:57	1397.70	4027.470
4/28/2006 17:09	1397.90	4027.180
4/28/2006 17:21	1398.10	4026.910
4/28/2006 17:33	1398.30	4026.630
4/28/2006 17:45	1398.50	4026.340
4/28/2006 17:57	1398.70	4026.070
4/28/2006 18:09	1398.90	4025.790
4/28/2006 18:21	1399.10	4025.510
4/28/2006 18:33	1399.30	4025.220
4/28/2006 18:45	1399.50	4024.950
4/28/2006 18:57	1399.70	4024.670
4/28/2006 19:09	1399.90	4024.380
4/28/2006 19:21	1400.10	4024.110
4/28/2006 19:33	1400.30	4023.830
4/28/2006 19:45	1400.50	4023.550
4/28/2006 19:57	1400.70	4023.280
4/28/2006 20:09	1400.90	4023.000
4/28/2006 20:21	1401.10	4022.710
4/28/2006 20:33	1401.30	4022.440
4/28/2006 20:45	1401.50	4022.160
4/28/2006 20:57	1401.70	4021.880
4/28/2006 21:09	1401.90	4021.600
4/28/2006 21:21	1402.10	4021.320
4/28/2006 21:33	1402.30	4021.030
4/28/2006 21:45	1402.51	4020.740
4/28/2006 22:09	1402.91	4020.200
4/28/2006 22:33	1403.31	4019.630
4/28/2006 22:57	1403.71	4019.070
4/28/2006 23:21	1404.11	4018.510
4/28/2006 23:45	1404.51	4017.960
4/29/2006 0:09	1404.91	4017.410
4/29/2006 0:33	1405.31	4016.870
4/29/2006 0:57	1405.71	4016.340
4/29/2006 1:21	1406.11	4015.810
4/29/2006 1:45	1406.51	4015.290
4/29/2006 2:09	1406.91	4014.770
4/29/2006 2:33	1407.31	4014.260
4/29/2006 2:57	1407.71	4013.760

4/29/2006 3:21	1408.11	4013.270
4/29/2006 3:45	1408.51	4012.790
4/29/2006 4:09	1408.91	4012.300
4/29/2006 4:33	1409.31	4011.830
4/29/2006 4:57	1409.71	4011.360
4/29/2006 5:21	1410.11	4010.890
4/29/2006 5:45	1410.51	4010.430
4/29/2006 6:09	1410.91	4009.970
4/29/2006 6:33	1411.31	4009.490
4/29/2006 6:57	1411.71	4009.010
4/29/2006 7:21	1412.11	4008.540
4/29/2006 7:45	1412.51	4008.080
4/29/2006 8:09	1412.91	4007.600
4/29/2006 8:33	1413.31	4007.100
4/29/2006 8:57	1413.71	4006.550
4/29/2006 9:21	1414.11	4006.050
4/29/2006 9:45	1414.51	4005.570
4/29/2006 10:09	1414.91	4005.090
4/29/2006 10:33	1415.31	4004.630
4/29/2006 10:57	1415.71	4004.150
4/29/2006 11:21	1416.11	4003.680
4/29/2006 11:45	1416.51	4003.210
4/29/2006 12:09	1416.91	4002.730
4/29/2006 12:33	1417.31	4002.270
4/29/2006 12:57	1417.71	4001.820
4/29/2006 13:21	1418.11	4001.380
4/29/2006 13:45	1418.51	4000.930
4/29/2006 14:09	1418.91	4000.510
4/29/2006 14:33	1419.31	4000.080
4/29/2006 14:57	1419.71	3999.670
4/29/2006 15:21	1420.11	3999.260
4/29/2006 15:45	1420.51	3998.850
4/29/2006 16:09	1420.91	3998.460
4/29/2006 16:33	1421.31	3998.070
4/29/2006 16:57	1421.71	3997.680
4/29/2006 17:21	1422.11	3997.290
4/29/2006 17:45	1422.51	3996.910
4/29/2006 18:09	1422.91	3996.520
4/29/2006 18:33	1423.31	3996.120
4/29/2006 18:57	1423.71	3995.740
4/29/2006 19:21	1424.11	3995.350
4/29/2006 19:45	1424.51	3994.970
4/29/2006 20:09	1424.91	3994.630
4/29/2006 20:33	1425.31	3994.260
4/29/2006 20:57	1425.71	3993.890
4/29/2006 21:21	1426.11	3993.510
4/29/2006 21:45	1426.51	3993.130
4/29/2006 22:09	1426.91	3992.750
4/29/2006 22:33	1427.31	3992.370
4/29/2006 22:57	1427.71	3991.970
4/29/2006 23:21	1428.11	3991.580
4/29/2006 23:45	1428.51	3991.180

4/30/2006 0:09	1428.91	3990.790
4/30/2006 0:33	1429.31	3990.400
4/30/2006 0:57	1429.71	3990.020
4/30/2006 1:21	1430.11	3989.630
4/30/2006 1:45	1430.51	3989.250
4/30/2006 2:09	1430.91	3988.870
4/30/2006 2:33	1431.31	3988.490
4/30/2006 2:57	1431.71	3988.120
4/30/2006 3:21	1432.11	3987.760
4/30/2006 3:45	1432.51	3987.400
4/30/2006 4:09	1432.91	3987.050
4/30/2006 4:33	1433.31	3986.690
4/30/2006 4:57	1433.71	3986.340
4/30/2006 5:21	1434.11	3985.990
4/30/2006 5:45	1434.51	3985.630
4/30/2006 6:09	1434.91	3985.280
4/30/2006 6:33	1435.31	3984.930
4/30/2006 6:57	1435.71	3984.580
4/30/2006 7:21	1436.11	3984.220
4/30/2006 7:45	1436.51	3983.880
4/30/2006 8:09	1436.91	3983.530
4/30/2006 8:33	1437.31	3983.180
4/30/2006 8:57	1437.71	3982.820
4/30/2006 9:21	1438.11	3982.460
4/30/2006 9:45	1438.51	3982.100
4/30/2006 10:09	1438.91	3981.740
4/30/2006 10:33	1439.31	3981.390
4/30/2006 10:57	1439.71	3981.040
4/30/2006 11:21	1440.11	3980.680
4/30/2006 11:45	1440.51	3980.340
4/30/2006 12:09	1440.91	3979.980
4/30/2006 12:33	1441.31	3979.630
4/30/2006 12:57	1441.71	3979.290
4/30/2006 13:21	1442.11	3978.960
4/30/2006 13:45	1442.51	3978.630
4/30/2006 14:09	1442.91	3978.300
4/30/2006 14:33	1443.31	3977.970
4/30/2006 14:57	1443.71	3977.650
4/30/2006 15:21	1444.11	3977.340
4/30/2006 15:45	1444.51	3977.040
4/30/2006 16:09	1444.91	3976.740
4/30/2006 16:33	1445.31	3976.440
4/30/2006 16:57	1445.71	3976.150
4/30/2006 17:21	1446.11	3975.880
4/30/2006 17:45	1446.51	3975.590
4/30/2006 18:09	1446.91	3975.310
4/30/2006 18:33	1447.31	3975.020
4/30/2006 18:57	1447.71	3974.750
4/30/2006 19:21	1448.11	3974.460
4/30/2006 19:45	1448.51	3974.180
4/30/2006 20:09	1448.91	3973.910
4/30/2006 20:33	1449.31	3973.630

4/30/2006 20:57	1449.71	3973.360	
4/30/2006 21:21	1450.11	3973.060	
4/30/2006 21:45	1450.51	3972.780	
4/30/2006 22:09	1450.91	3972.490	
4/30/2006 22:33	1451.31	3972.200	
4/30/2006 22:57	1451.71	3971.900	
4/30/2006 23:21	1452.11	3971.600	
4/30/2006 23:45	1452.51	3971.300	
5/1/2006 0:09	1452.91	3971.000	
5/1/2006 0:33	1453.31	3970.700	
5/1/2006 0:57	1453.71	3970.390	
5/1/2006 1:21	1454.11	3970.090	
5/1/2006 1:45	1454.51	3969.790	
5/1/2006 2:09	1454.91	3969.500	
5/1/2006 2:33	1455.31	3969.220	
5/1/2006 2:57	1455.71	3968.920	
5/1/2006 3:21	1456.11	3968.640	
5/1/2006 3:45	1456.51	3968.360	
5/1/2006 4:09	1456.91	3968.070	
5/1/2006 4:33	1457.31	3967.800	
5/1/2006 4:57	1457.71	3967.520	
5/1/2006 5:21	1458.11	3967.250	
5/1/2006 5:45	1458.51	3966.980	
5/1/2006 6:09	1458.91	3966.710	
5/1/2006 6:33	1459.31	3966.440	
5/1/2006 6:57	1459.71	3966.160	
5/1/2006 7:21	1460.11	3965.890	
5/1/2006 7:45	1460.51	3965.620	



LIGHTNING WIRELINE

A Baker Hughes (U.S.) Ltd. Company

KPK

Suckla Farms Inj.#1

SE NW 10-T1N-R67W

Injection / Falloff

2006-04-24 to 2006-05-01



A Coker Services (TS) Ltd. Company

COMPANY: KPK
ADDRESS: c/o Lightning Wireline 405 Main St. Platteville, CO
WELL NAME: Suckla Farms Inj.#1
LOCATION: SE NW 10-1N-67W
FIELD - POOL: Wattenberg - Lyons
STATUS: N/A
ORIENTATION: Vertical

TEST INFORMATION:

TEST TYPE: Injection / Falloff
DATE OF TEST: 2006-04-24 to 2006-05-01
SHUT IN DATE: 2006-04-25 09:45:00
ON BOTTOM: 2006-04-24 10:33:00
OFF BOTTOM: 2006-05-01 08:34:00
PRODUCTION INTERVAL: 9276.0 - 9418.0 ft
MID POINT PERFS.: 9347.0 ft
TUBING PRESSURE: BEFORE: N/A AFTER: N/A
CASING PRESSURE: BEFORE: N/A AFTER: N/A

GAUGE DATA:

	<u>TOP:</u>	<u>BOTTOM:</u>
GAUGE TYPE:	Well Watcher Strain	Well Watcher Strain
SERIAL NUMBER:	5167	5345
RUN DEPTH:	9029.0 ft	9029.5 ft
BATTERY ON TIME:	2006-04-24 09:44:00	2006-05-01 09:44:00
BATTERY OFF TIME:	2006-05-01 09:16:00	2006-05-01 09:16:00
CALIBRATION DATE:	2003-12-16	2003-12-16
PRESSURE RANGE:	5000 psi	5000 psi
ACCURACY:	0.05%	0.05%
RESOLUTION:	0.0003%	0.0003%

REMARKS :

THIS REPORT HAS BEEN PREPARED FOR YOU BY, ALEAH WILLIAMS.
PLEASE CALL ME AT {403}347-9727, IF YOU HAVE ANY QUESTIONS OR COMMENTS. THANK YOU.

Calibration Certificate No: 5167

Model: Well Watchers High Temp.

Software Version: N/A

Maximum Pressure Rating: 5000 PSI

Maximum Temperature Rating: 302 F

Calibration Date 16-March, 2006

Specifications

Calibration Pressure Range:	Minimum: 20.0 PSI	Maximum: 5000 PSI
Calibration Temperature Range:	Minimum: 32 F	Maximum: 302 F
Pressure:	Accuracy: $\pm 0.05\%$	± 2.50 PSI
Temperature:	Accuracy: $\pm 0.25\%$	± 0.755 F

Calibration Summary

Pressure Accuracy (Maximum Error):	± 0.97 PSI
Temperature Accuracy (Maximum Error):	± 0.25 F

Working Standard

- Pressure: Quartzdyne – Model QS10K-S - S/N 150131
- Temperature: Sun Systems Environmental Chamber

Transfer Standard

- Pressure: Chandler Engineering Hydraulic Deadweight – Model 58-001K-T-1 - S/N 25052 – 0 to 15000 PSI Mass Set $\pm 0.05\%$ Accuracy
- Temperature: Hart Scientific Platinum Resistance Thermometer – Model 5614 – S/N 496051 with an accuracy of $\pm 0.006^{\circ}\text{C}$ (± 0.04 F)

Traceability Statement

All working standards are traceable to nationally or internationally recognized standards.

- Chandler Engineering Hydraulic Deadweight – Pressure standards referenced to NIST (File TN822-256610-96, TN838-256609-96, P-8523)
- Chandler Engineering Hydraulic Deadweight – Alberta Energy and Utilities Board Annual Deadweight Gauge Calibration – Transfer Standard S/N 4079-85 – Traceable to the Institute for National Measurement Standards (INMS) of the National Research Council of Canada (NRC). INMS Report MS312, INMS Lab Order Number 85134.
- Platinum Resistance Thermometer (PRT) Model 5614, S/N 496051 was calibrated at the ice point and / or by comparison to Standard Platinum Resistance Thermometers (SPRTs). These SPRTs are calibrated to the International Temperature Scale of 1990 (ITS-90) and their calibration is traceable to the National Institute of Standards and Technology (NIST)


Calibration Preformed By
Leroy Quapp


Approved By

This Certificate shall not be reproduced, without the written approval of the laboratory.

Calibration Certificate No: 5345

Model: Well Watchers High Temp.

Software Version: N/A

Maximum Pressure Rating: 5000 PSI

Maximum Temperature Rating: 302 F

Calibration Date 16-March, 2006

Specifications

Calibration Pressure Range:

Minimum: 20.0 PSI

Maximum: 5000 PSI

Calibration Temperature Range:

Minimum: 32 F

Maximum: 302 F

Pressure:

Accuracy: ± 0.05%

± 2.50 PSI

Temperature:

Accuracy: ± 0.25%

± 0.755 F

Calibration Summary

Pressure Accuracy (Maximum Error):

± 0.74 PSI

Temperature Accuracy (Maximum Error):

± 0.18 F

Working Standard

- Pressure: Quartzdyne - Model QS10K-S - S/N 150131
- Temperature: Sun Systems Environmental Chamber

Transfer Standard


- Pressure: Chandler Engineering Hydraulic Deadweight - Model 58-001K-T-1 - S/N 25052 - 0 to 15000 PSI Mass Set ± .05% Accuracy
- Temperature: Hart Scientific Platinum Resistance Thermometer - Model 5614 - S/N 496051 with an accuracy of ± 0.006°C (± 0.011 F)

Traceability Statement

All working standards are traceable to nationally or internationally recognized standards.

- Chandler Engineering Hydraulic Deadweight - Pressure standards referenced to NIST (File TN822-256610-96, TN838-256609-96, P-8523)
- Chandler Engineering Hydraulic Deadweight - Alberta Energy and Utilities Board Annual Deadweight Gauge Calibration - Transfer Standard S/N 4079-85 - Traceable to the Institute for National Measurement Standards (INMS) of the National Research Council of Canada (NRC). INMS Report MS312, INMS Lab Order Number 85134.
- Platinum Resistance Thermometer (PRT) Model 5614, S/N 496051 was calibrated at the ice point and / or by comparison to Standard Platinum Resistance Thermometers (SPRTs). These SPRTs are calibrated to the International Temperature Scale of 1990 (ITS-90) and their calibration is traceable to the National Institute of Standards and Technology (NIST)


Calibration Performed By
Leroy Quapp



Approved By

This Certificate shall not be reproduced, without the written approval of the laboratory.

KPK
SE NW Sec. 10 T1N-R67W
Start Test Date: 2006/04/24
Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
Formation: Lyons
Pool: Lyons
Job Number: N/A


Suckla Farms Inj. Well #1



KPK
SE NW Sec. 10 T1N-R67W
Start Test Date: 2006/04/24
Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
Formation: Lyons
Pool: Lyons
Job Number: N/A

Difference Plot



KPK

SE NW Sec. 10 T1N-R67W
 Start Test Date: 2006/04/24
 Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
 Formation: Lyons
 Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

Date Clk Time Time Pres. Temp. Clk Time Time Pres. Temp. G1 - G2

yyyy/mm hh:mm:s hr psi(g) °F hh:mm:s hr psi(g) °F psi

1	2006/04/24	09:44:01	0.0000	0.01	59.05	09:44:01	0.0000	0.10	57.30	-0.09
2	2006/04/24	09:44:23	0.0061	0.10	59.65	09:44:23	0.0061	0.10	57.10	0.00
3	2006/04/24	09:51:04	0.1175	0.11	47.13	09:51:04	0.1175	0.11	47.78	-0.00
4	2006/04/24	10:02:04	0.3008	471.06	58.21	10:02:04	0.3008	471.23	58.32	-0.16
5	2006/04/24	10:13:04	0.4842	1742.41	99.43	10:13:04	0.4842	1742.69	99.12	-0.29
6	2006/04/24	10:24:04	0.6675	3021.83	159.53	10:24:04	0.6675	3021.24	161.04	0.59
7	2006/04/24	10:35:04	0.8508	3864.90	222.97	10:35:04	0.8508	3865.82	224.49	-0.91
8	2006/04/24	10:46:04	1.0342	3869.16	236.99	10:46:04	1.0342	3869.17	237.08	-0.01
9	2006/04/24	10:57:04	1.2175	3867.31	239.34	10:57:04	1.2175	3867.37	239.41	-0.06
10	2006/04/24	11:08:04	1.4008	3867.15	240.03	11:08:04	1.4008	3867.26	240.14	-0.10
11	2006/04/24	11:19:04	1.5842	3866.93	240.39	11:19:04	1.5842	3867.06	240.51	-0.13
12	2006/04/24	11:30:04	1.7675	3866.79	240.60	11:30:04	1.7675	3866.94	240.72	-0.15
13	2006/04/24	11:41:04	1.9508	3866.64	240.74	11:41:04	1.9508	3866.80	240.87	-0.16
14	2006/04/24	11:52:04	2.1342	3866.43	240.86	11:52:04	2.1342	3866.61	241.00	-0.18
15	2006/04/24	12:03:04	2.3175	3866.19	240.95	12:03:04	2.3175	3866.38	241.16	-0.19
16	2006/04/24	12:14:04	2.5008	3866.11	241.04	12:14:04	2.5008	3866.30	241.20	-0.19
17	2006/04/24	12:25:04	2.6842	3866.00	241.10	12:25:04	2.6842	3866.20	241.23	-0.19
18	2006/04/24	12:36:04	2.8675	3865.88	241.18	12:36:04	2.8675	3866.08	241.28	-0.20
19	2006/04/24	12:47:04	3.0508	3865.80	241.22	12:47:04	3.0508	3866.00	241.32	-0.20
20	2006/04/24	12:58:04	3.2342	3865.69	241.26	12:58:04	3.2342	3865.89	241.34	-0.20
21	2006/04/24	13:09:04	3.4175	3865.51	241.29	13:09:04	3.4175	3865.72	241.37	-0.21
22	2006/04/24	13:20:04	3.6008	3865.30	241.35	13:20:04	3.6008	3865.51	241.43	-0.22
23	2006/04/24	13:31:04	3.7842	3865.07	241.39	13:31:04	3.7842	3865.29	241.48	-0.22
24	2006/04/24	13:42:04	3.9675	3864.85	241.44	13:42:04	3.9675	3865.07	241.52	-0.22
25	2006/04/24	13:53:04	4.1508	3864.63	241.48	13:53:04	4.1508	3864.86	241.56	-0.23
26	2006/04/24	14:04:04	4.3342	3864.42	241.51	14:04:04	4.3342	3864.65	241.60	-0.23
27	2006/04/24	14:15:04	4.5175	3864.19	241.55	14:15:04	4.5175	3864.44	241.64	-0.25
28	2006/04/24	14:26:04	4.7008	3863.98	241.58	14:26:04	4.7008	3864.23	241.67	-0.25
29	2006/04/24	14:37:04	4.8842	3863.75	241.62	14:37:04	4.8842	3864.00	241.71	-0.25
30	2006/04/24	14:48:04	5.0675	3863.51	241.66	14:48:04	5.0675	3863.77	241.75	-0.26
31	2006/04/24	14:59:04	5.2508	3863.28	241.69	14:59:04	5.2508	3863.54	241.79	-0.26
32	2006/04/24	15:10:04	5.4342	3863.04	241.73	15:10:04	5.4342	3863.31	241.82	-0.27
33	2006/04/24	15:21:04	5.6175	3862.75	241.76	15:21:04	5.6175	3863.02	241.86	-0.27
34	2006/04/24	15:32:04	5.8008	3862.44	241.80	15:32:04	5.8008	3862.73	241.91	-0.28
35	2006/04/24	15:43:04	5.9842	3862.13	241.85	15:43:04	5.9842	3862.42	241.95	-0.29
36	2006/04/24	15:54:04	6.1675	3861.82	241.89	15:54:04	6.1675	3862.12	241.99	-0.30
37	2006/04/24	16:05:04	6.3508	3861.52	241.93	16:05:04	6.3508	3861.82	242.04	-0.30
38	2006/04/24	16:16:04	6.5342	3861.21	241.98	16:16:04	6.5342	3861.53	242.08	-0.31
39	2006/04/24	16:27:04	6.7175	3860.91	242.02	16:27:04	6.7175	3861.23	242.13	-0.32
40	2006/04/24	16:38:04	6.9008	3860.59	242.08	16:38:04	6.9008	3860.92	242.19	-0.33
41	2006/04/24	16:49:04	7.0842	3860.23	242.17	16:49:04	7.0842	3860.58	242.28	-0.34
42	2006/04/24	17:00:04	7.2675	3859.89	242.22	17:00:04	7.2675	3860.25	242.38	-0.37
43	2006/04/24	17:11:04	7.4508	3859.66	242.24	17:11:04	7.4508	3860.03	242.40	-0.37
44	2006/04/24	17:22:04	7.6342	3859.43	242.26	17:22:04	7.6342	3859.81	242.42	-0.38
45	2006/04/24	17:33:04	7.8175	3859.22	242.28	17:33:04	7.8175	3859.61	242.43	-0.38
46	2006/04/24	17:44:04	8.0008	3859.06	242.27	17:44:04	8.0008	3859.43	242.40	-0.38
47	2006/04/24	17:55:04	8.1842	3858.89	242.24	17:55:04	8.1842	3859.28	242.44	-0.38
48	2006/04/24	18:06:04	8.3675	3858.73	242.29	18:06:04	8.3675	3859.11	242.45	-0.39

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK
SE NW Sec. 10 T1N-R67W
Start Test Date: 2006/04/24
Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

	Date	Clk	Time	Time	Pres.	Temp.	Clk	Time	Time	Pres.	Temp.	G1 - G2
	yyyy/mm	hh:mm:s	hr		psi(g)	°F	hh:mm:s	hr		psi(g)	°F	psi

97	2006/04/25	03:05:04	17.3508	3849.46	242.94	03:05:04	17.3508	3850.00	243.08	-0.54
98	2006/04/25	03:16:04	17.5342	3849.29	242.95	03:16:04	17.5342	3849.82	243.09	-0.54
99	2006/04/25	03:27:04	17.7175	3849.11	242.96	03:27:04	17.7175	3849.66	243.10	-0.54
100	2006/04/25	03:38:04	17.9008	3848.93	242.97	03:38:04	17.9008	3849.48	243.11	-0.55
101	2006/04/25	03:49:04	18.0842	3848.76	242.98	03:49:04	18.0842	3849.30	243.12	-0.54
102	2006/04/25	04:00:04	18.2675	3848.58	242.99	04:00:04	18.2675	3849.13	243.13	-0.55
103	2006/04/25	04:11:04	18.4508	3848.40	242.99	04:11:04	18.4508	3848.95	243.13	-0.55
104	2006/04/25	04:22:04	18.6342	3848.21	243.00	04:22:04	18.6342	3848.76	243.14	-0.56
105	2006/04/25	04:33:04	18.8175	3848.03	243.01	04:33:04	18.8175	3848.59	243.15	-0.56
106	2006/04/25	04:44:04	19.0008	3847.84	243.02	04:44:04	19.0008	3848.40	243.16	-0.56
107	2006/04/25	04:55:04	19.1842	3847.66	243.03	04:55:04	19.1842	3848.22	243.17	-0.56
108	2006/04/25	05:06:04	19.3675	3847.48	243.04	05:06:04	19.3675	3848.04	243.18	-0.56
109	2006/04/25	05:17:04	19.5508	3847.29	243.04	05:17:04	19.5508	3847.86	243.19	-0.56
110	2006/04/25	05:28:04	19.7342	3847.09	243.05	05:28:04	19.7342	3847.67	243.20	-0.57
111	2006/04/25	05:39:04	19.9175	3846.91	243.07	05:39:04	19.9175	3847.48	243.21	-0.57
112	2006/04/25	05:50:04	20.1008	3846.72	243.08	05:50:04	20.1008	3847.29	243.22	-0.57
113	2006/04/25	06:01:04	20.2842	3846.53	243.09	06:01:04	20.2842	3847.11	243.23	-0.58
114	2006/04/25	06:12:04	20.4675	3846.35	243.10	06:12:04	20.4675	3846.93	243.24	-0.58
115	2006/04/25	06:23:04	20.6508	3846.16	243.11	06:23:04	20.6508	3846.74	243.25	-0.58
116	2006/04/25	06:34:04	20.8342	3845.97	243.11	06:34:04	20.8342	3846.55	243.26	-0.58
117	2006/04/25	06:45:04	21.0175	3845.78	243.12	06:45:04	21.0175	3846.36	243.26	-0.59
118	2006/04/25	06:56:04	21.2008	3845.60	243.12	06:56:04	21.2008	3846.18	243.25	-0.58
119	2006/04/25	07:07:04	21.3842	3845.42	243.13	07:07:04	21.3842	3846.00	243.25	-0.58
120	2006/04/25	07:18:04	21.5675	3845.23	243.13	07:18:04	21.5675	3845.81	243.26	-0.58
121	2006/04/25	07:29:04	21.7508	3845.04	243.14	07:29:04	21.7508	3845.62	243.26	-0.59
122	2006/04/25	07:40:04	21.9342	3844.84	243.15	07:40:04	21.9342	3845.43	243.27	-0.59
123	2006/04/25	07:51:04	22.1175	3844.65	243.16	07:51:04	22.1175	3845.24	243.28	-0.59
124	2006/04/25	08:02:04	22.3008	3844.47	243.17	08:02:04	22.3008	3845.06	243.29	-0.59
125	2006/04/25	08:13:04	22.4842	3844.28	243.18	08:13:04	22.4842	3844.87	243.29	-0.59
126	2006/04/25	08:24:04	22.6675	3844.10	243.18	08:24:04	22.6675	3844.69	243.30	-0.59
127	2006/04/25	08:35:04	22.8508	3843.91	243.19	08:35:04	22.8508	3844.51	243.31	-0.60
128	2006/04/25	08:46:04	23.0342	3843.72	243.20	08:46:04	23.0342	3844.32	243.32	-0.60
129	2006/04/25	08:57:04	23.2175	3843.54	243.21	08:57:04	23.2175	3844.14	243.32	-0.60
130	2006/04/25	09:08:04	23.4008	3843.35	243.21	09:08:04	23.4008	3843.95	243.33	-0.61
131	2006/04/25	09:19:04	23.5842	3843.16	243.22	09:19:04	23.5842	3843.76	243.34	-0.60
132	2006/04/25	09:30:04	23.7675	3843.07	243.24	09:30:04	23.7675	3843.67	243.36	-0.61
133	2006/04/25	09:41:04	23.9508	3842.82	243.29	09:41:04	23.9508	3843.43	243.42	-0.61
134	2006/04/25	09:52:04	24.1342	4025.79	231.08	09:52:04	24.1342	4025.93	230.28	-0.14
135	2006/04/25	10:03:04	24.3175	4065.46	206.86	10:03:04	24.3175	4065.40	205.93	0.06
136	2006/04/25	10:14:04	24.5008	4089.01	194.43	10:14:04	24.5008	4088.33	193.88	0.68
137	2006/04/25	10:25:04	24.6842	4108.01	187.51	10:25:04	24.6842	4107.44	187.20	0.57
138	2006/04/25	10:36:04	24.8675	4124.91	181.28	10:36:04	24.8675	4124.37	181.06	0.54
139	2006/04/25	10:47:04	25.0508	4134.31	176.72	10:47:04	25.0508	4133.69	176.57	0.63
140	2006/04/25	10:58:04	25.2342	4142.12	172.95	10:58:04	25.2342	4141.56	172.85	0.56
141	2006/04/25	11:09:04	25.4175	4147.28	169.81	11:09:04	25.4175	4146.57	169.75	0.71
142	2006/04/25	11:20:04	25.6008	4153.77	167.15	11:20:04	25.6008	4152.98	167.08	0.79
143	2006/04/25	11:31:04	25.7842	4158.43	164.81	11:31:04	25.7842	4157.66	164.75	0.77
144	2006/04/25	11:42:04	25.9675	4163.52	162.67	11:42:04	25.9675	4162.77	162.62	0.74

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK
SE NW Sec. 10 T1N-R67W
Start Test Date: 2006/04/24
Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

	Date	Clk	Time	Time	Pres.	Temp.	Clk	Time	Time	Pres.	Temp.	G1 - G2
	yyyy/mm	hh:mm:s	hr		psi(g)	°F	hh:mm:s	hr		psi(g)	°F	psi

193	2006/04/25	20:41:04	34.9508	4201.82	134.79	20:41:04	34.9508	4202.33	134.80	-0.51
194	2006/04/25	20:52:04	35.1342	4201.76	134.59	20:52:04	35.1342	4202.26	134.61	-0.50
195	2006/04/25	21:03:04	35.3175	4201.64	134.41	21:03:04	35.3175	4202.14	134.43	-0.50
196	2006/04/25	21:14:04	35.5008	4202.40	134.21	21:14:04	35.5008	4202.83	134.22	-0.43
197	2006/04/25	21:25:04	35.6842	4202.47	134.03	21:25:04	35.6842	4202.91	134.04	-0.44
198	2006/04/25	21:36:04	35.8675	4203.10	133.85	21:36:04	35.8675	4203.48	133.87	-0.38
199	2006/04/25	21:45:52	36.0308	4203.06	133.70	21:45:52	36.0308	4203.46	133.72	-0.40
200	2006/04/25	21:51:22	36.1225	4203.45	133.61	21:51:22	36.1225	4203.86	133.63	-0.40
201	2006/04/25	21:56:52	36.2142	4203.42	133.52	21:56:52	36.2142	4203.82	133.54	-0.41
202	2006/04/25	22:02:22	36.3058	4203.35	133.43	22:02:22	36.3058	4203.74	133.45	-0.38
203	2006/04/25	22:07:52	36.3975	4203.20	133.34	22:07:52	36.3975	4203.60	133.36	-0.39
204	2006/04/25	22:13:22	36.4892	4203.68	133.26	22:13:22	36.4892	4204.06	133.28	-0.37
205	2006/04/25	22:18:52	36.5808	4203.93	133.17	22:18:52	36.5808	4204.29	133.19	-0.36
206	2006/04/25	22:24:22	36.6725	4203.95	133.08	22:24:22	36.6725	4204.28	133.10	-0.34
207	2006/04/25	22:29:52	36.7642	4203.79	133.00	22:29:52	36.7642	4204.14	133.03	-0.35
208	2006/04/25	22:35:22	36.8558	4203.82	132.93	22:35:22	36.8558	4204.16	132.95	-0.34
209	2006/04/25	22:40:52	36.9475	4203.62	132.85	22:40:52	36.9475	4203.96	132.87	-0.34
210	2006/04/25	22:46:22	37.0392	4203.92	132.78	22:46:22	37.0392	4204.23	132.80	-0.32
211	2006/04/25	22:51:52	37.1308	4204.22	132.71	22:51:52	37.1308	4204.53	132.73	-0.31
212	2006/04/25	22:57:22	37.2225	4204.24	132.63	22:57:22	37.2225	4204.53	132.65	-0.29
213	2006/04/25	23:02:52	37.3142	4204.28	132.56	23:02:52	37.3142	4204.57	132.59	-0.29
214	2006/04/25	23:08:22	37.4058	4204.33	132.48	23:08:22	37.4058	4204.60	132.51	-0.27
215	2006/04/25	23:13:52	37.4975	4204.52	132.40	23:13:52	37.4975	4204.79	132.43	-0.27
216	2006/04/25	23:19:22	37.5892	4204.55	132.33	23:19:22	37.5892	4204.82	132.36	-0.27
217	2006/04/25	23:24:52	37.6808	4204.25	132.26	23:24:52	37.6808	4204.53	132.28	-0.27
218	2006/04/25	23:30:22	37.7725	4204.47	132.19	23:30:22	37.7725	4204.69	132.21	-0.23
219	2006/04/25	23:35:52	37.8642	4205.00	132.10	23:35:52	37.8642	4205.25	132.13	-0.24
220	2006/04/25	23:41:22	37.9558	4205.08	132.03	23:41:22	37.9558	4205.32	132.05	-0.24
221	2006/04/25	23:46:52	38.0475	4204.91	131.96	23:46:52	38.0475	4205.11	131.98	-0.20
222	2006/04/25	23:52:22	38.1392	4204.78	131.88	23:52:22	38.1392	4204.98	131.90	-0.20
223	2006/04/25	23:57:52	38.2308	4205.52	131.84	23:57:52	38.2308	4205.73	131.87	-0.21
224	2006/04/26	00:03:22	38.3225	4205.40	131.77	00:03:22	38.3225	4205.60	131.80	-0.20
225	2006/04/26	00:08:52	38.4142	4205.49	131.70	00:08:52	38.4142	4205.72	131.73	-0.23
226	2006/04/26	00:14:22	38.5058	4205.51	131.63	00:14:22	38.5058	4205.70	131.66	-0.19
227	2006/04/26	00:19:52	38.5975	4205.74	131.56	00:19:52	38.5975	4205.94	131.59	-0.20
228	2006/04/26	00:25:22	38.6892	4205.85	131.49	00:25:22	38.6892	4206.00	131.51	-0.15
229	2006/04/26	00:30:52	38.7808	4206.21	131.42	00:30:52	38.7808	4206.40	131.45	-0.19
230	2006/04/26	00:36:22	38.8725	4206.36	131.35	00:36:22	38.8725	4206.52	131.38	-0.16
231	2006/04/26	00:41:52	38.9642	4206.26	131.29	00:41:52	38.9642	4206.39	131.31	-0.14
232	2006/04/26	00:47:22	39.0558	4206.19	131.22	00:47:22	39.0558	4206.35	131.25	-0.16
233	2006/04/26	00:52:52	39.1475	4206.57	131.15	00:52:52	39.1475	4206.73	131.18	-0.16
234	2006/04/26	00:58:22	39.2392	4206.41	131.09	00:58:22	39.2392	4206.55	131.11	-0.13
235	2006/04/26	01:03:52	39.3308	4206.42	131.03	01:03:52	39.3308	4206.55	131.05	-0.13
236	2006/04/26	01:09:22	39.4225	4206.69	130.97	01:09:22	39.4225	4206.80	131.00	-0.11
237	2006/04/26	01:14:52	39.5142	4206.41	130.91	01:14:52	39.5142	4206.54	130.93	-0.14
238	2006/04/26	01:20:22	39.6058	4206.42	130.83	01:20:22	39.6058	4206.55	130.86	-0.13
239	2006/04/26	01:25:52	39.6975	4207.03	130.77	01:25:52	39.6975	4207.13	130.79	-0.10
240	2006/04/26	01:31:22	39.7892	4207.09	130.71	01:31:22	39.7892	4207.20	130.73	-0.11

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK
 SE NW Sec. 10 T1N-R67W
 Start Test Date: 2006/04/24
 Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
 Formation: Lyons
 Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

Date Clk Time Time Pres. Temp. Clk Time Time Pres. Temp. G1 - G2

yyyy/mm hh:mm:s hr psi(g) °F hh:mm:s hr psi(g) °F psi

289	2006/04/26	06:00:52	44.2808	4212.35	128.20	06:00:52	44.2808	4212.32	128.22	0.03
290	2006/04/26	06:06:22	44.3725	4212.12	128.15	06:06:22	44.3725	4212.11	128.18	0.01
291	2006/04/26	06:11:52	44.4642	4212.04	128.09	06:11:52	44.4642	4212.07	128.12	-0.03
292	2006/04/26	06:17:22	44.5558	4212.15	128.03	06:17:22	44.5558	4212.15	128.06	0.01
293	2006/04/26	06:22:52	44.6475	4212.33	128.00	06:22:52	44.6475	4212.29	128.03	0.04
294	2006/04/26	06:28:22	44.7392	4212.45	127.97	06:28:22	44.7392	4212.41	127.99	0.04
295	2006/04/26	06:33:52	44.8308	4212.45	127.92	06:33:52	44.8308	4212.42	127.95	0.03
296	2006/04/26	06:39:22	44.9225	4212.91	127.88	06:39:22	44.9225	4212.86	127.90	0.05
297	2006/04/26	06:44:52	45.0142	4212.77	127.84	06:44:52	45.0142	4212.74	127.87	0.03
298	2006/04/26	06:50:22	45.1058	4213.05	127.79	06:50:22	45.1058	4212.99	127.82	0.06
299	2006/04/26	06:55:52	45.1975	4213.12	127.75	06:55:52	45.1975	4213.02	127.78	0.10
300	2006/04/26	07:01:22	45.2892	4213.24	127.71	07:01:22	45.2892	4213.23	127.74	0.01
301	2006/04/26	07:06:52	45.3808	4213.33	127.69	07:06:52	45.3808	4213.28	127.71	0.05
302	2006/04/26	07:12:22	45.4725	4213.22	127.66	07:12:22	45.4725	4213.22	127.69	-0.00
303	2006/04/26	07:17:52	45.5642	4213.64	127.64	07:17:52	45.5642	4213.62	127.67	0.03
304	2006/04/26	07:23:22	45.6558	4213.96	127.60	07:23:22	45.6558	4213.89	127.62	0.07
305	2006/04/26	07:28:52	45.7475	4214.13	127.54	07:28:52	45.7475	4214.11	127.56	0.02
306	2006/04/26	07:34:22	45.8392	4214.22	127.49	07:34:22	45.8392	4214.16	127.52	0.06
307	2006/04/26	07:39:52	45.9308	4214.04	127.46	07:39:52	45.9308	4213.97	127.49	0.07
308	2006/04/26	07:45:22	46.0225	4214.62	127.42	07:45:22	46.0225	4214.55	127.45	0.07
309	2006/04/26	07:50:52	46.1142	4214.69	127.39	07:50:52	46.1142	4214.65	127.42	0.04
310	2006/04/26	07:56:22	46.2058	4214.50	127.36	07:56:22	46.2058	4214.49	127.39	0.01
311	2006/04/26	08:01:52	46.2975	4214.45	127.35	08:01:52	46.2975	4214.33	127.38	0.12
312	2006/04/26	08:07:22	46.3892	4214.60	127.34	08:07:22	46.3892	4214.57	127.37	0.03
313	2006/04/26	08:12:52	46.4808	4214.80	127.33	08:12:52	46.4808	4214.75	127.36	0.05
314	2006/04/26	08:18:22	46.5725	4214.96	127.31	08:18:22	46.5725	4214.96	127.34	0.00
315	2006/04/26	08:23:52	46.6642	4214.84	127.31	08:23:52	46.6642	4214.90	127.34	-0.06
316	2006/04/26	08:29:22	46.7558	4215.06	127.31	08:29:22	46.7558	4215.05	127.34	0.01
317	2006/04/26	08:34:52	46.8475	4214.89	127.32	08:34:52	46.8475	4214.83	127.35	0.05
318	2006/04/26	08:40:22	46.9392	4215.72	127.32	08:40:22	46.9392	4215.63	127.35	0.09
319	2006/04/26	08:45:52	47.0308	4215.33	127.33	08:45:52	47.0308	4215.33	127.36	-0.00
320	2006/04/26	08:51:22	47.1225	4215.55	127.35	08:51:22	47.1225	4215.51	127.38	0.04
321	2006/04/26	08:56:52	47.2142	4215.48	127.35	08:56:52	47.2142	4215.46	127.38	0.02
322	2006/04/26	09:02:22	47.3058	4215.67	127.35	09:02:22	47.3058	4215.59	127.38	0.08
323	2006/04/26	09:07:52	47.3975	4215.92	127.35	09:07:52	47.3975	4215.84	127.38	0.08
324	2006/04/26	09:13:22	47.4892	4215.56	127.35	09:13:22	47.4892	4215.53	127.38	0.02
325	2006/04/26	09:18:52	47.5808	4216.13	127.37	09:18:52	47.5808	4216.10	127.40	0.02
326	2006/04/26	09:24:22	47.6725	4215.80	127.38	09:24:22	47.6725	4215.75	127.41	0.06
327	2006/04/26	09:29:52	47.7642	4215.98	127.39	09:29:52	47.7642	4215.93	127.42	0.06
328	2006/04/26	09:35:22	47.8558	4215.76	127.40	09:35:22	47.8558	4215.78	127.43	-0.02
329	2006/04/26	09:40:52	47.9475	4216.12	127.41	09:40:52	47.9475	4216.04	127.44	0.08
330	2006/04/26	09:46:22	48.0392	4191.49	127.68	09:46:22	48.0392	4191.50	127.73	-0.01
331	2006/04/26	09:51:52	48.1308	4177.74	130.56	09:51:52	48.1308	4178.01	130.80	-0.27
332	2006/04/26	09:57:22	48.2225	4167.66	135.36	09:57:22	48.2225	4168.35	135.83	-0.68
333	2006/04/26	10:02:52	48.3142	4159.38	140.32	10:02:52	48.3142	4160.38	140.88	-1.00
334	2006/04/26	10:08:22	48.4058	4152.86	144.91	10:08:22	48.4058	4153.82	145.48	-0.96
335	2006/04/26	10:13:52	48.4975	4147.66	149.02	10:13:52	48.4975	4148.07	149.55	-0.41
336	2006/04/26	10:19:22	48.5892	4143.27	152.70	10:19:22	48.5892	4143.14	153.20	0.14

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK
 SE NW Sec. 10 T1N-R67W
 Start Test Date: 2006/04/24
 Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
 Formation: Lyons
 Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

	Date	Clk	Time	Time	Pres.	Temp.	Clk	Time	Time	Pres.	Temp.	G1 - G2
	yyyy/mm	hh:mm:s	hr		psi(g)	°F	hh:mm:s	hr		psi(g)	°F	psi

385	2006/04/26	14:48:52	53.0808	4067.87	209.62	14:48:52	53.0808	4067.39	209.89	0.48
386	2006/04/26	14:54:22	53.1725	4066.87	210.07	14:54:22	53.1725	4066.36	210.34	0.51
387	2006/04/26	14:59:52	53.2642	4065.86	210.52	14:59:52	53.2642	4065.34	210.78	0.52
388	2006/04/26	15:05:22	53.3558	4064.88	210.96	15:05:22	53.3558	4064.32	211.21	0.55
389	2006/04/26	15:10:52	53.4475	4063.88	211.38	15:10:52	53.4475	4063.30	211.63	0.58
390	2006/04/26	15:16:22	53.5392	4062.90	211.79	15:16:22	53.5392	4062.30	212.04	0.60
391	2006/04/26	15:21:52	53.6308	4061.92	212.21	15:21:52	53.6308	4061.29	212.45	0.62
392	2006/04/26	15:27:22	53.7225	4060.94	212.60	15:27:22	53.7225	4060.30	212.84	0.65
393	2006/04/26	15:32:52	53.8142	4059.97	212.99	15:32:52	53.8142	4059.31	213.22	0.66
394	2006/04/26	15:38:22	53.9058	4059.02	213.37	15:38:22	53.9058	4058.33	213.60	0.68
395	2006/04/26	15:43:52	53.9975	4058.06	213.74	15:43:52	53.9975	4057.36	213.97	0.70
396	2006/04/26	15:49:22	54.0892	4057.12	214.11	15:49:22	54.0892	4056.41	214.33	0.72
397	2006/04/26	15:54:52	54.1808	4056.19	214.46	15:54:52	54.1808	4055.46	214.68	0.73
398	2006/04/26	16:00:22	54.2725	4055.27	214.81	16:00:22	54.2725	4054.53	215.03	0.74
399	2006/04/26	16:05:52	54.3642	4054.36	215.15	16:05:52	54.3642	4053.61	215.36	0.75
400	2006/04/26	16:11:22	54.4558	4053.45	215.48	16:11:22	54.4558	4052.69	215.70	0.76
401	2006/04/26	16:16:52	54.5475	4052.53	215.81	16:16:52	54.5475	4051.76	216.02	0.77
402	2006/04/26	16:22:22	54.6392	4051.63	216.13	16:22:22	54.6392	4050.86	216.34	0.77
403	2006/04/26	16:27:52	54.7308	4050.73	216.45	16:27:52	54.7308	4049.95	216.65	0.78
404	2006/04/26	16:33:22	54.8225	4049.84	216.75	16:33:22	54.8225	4049.06	216.96	0.78
405	2006/04/26	16:38:52	54.9142	4048.95	217.05	16:38:52	54.9142	4048.18	217.26	0.77
406	2006/04/26	16:44:22	55.0058	4048.09	217.35	16:44:22	55.0058	4047.32	217.55	0.77
407	2006/04/26	16:49:52	55.0975	4047.22	217.64	16:49:52	55.0975	4046.45	217.84	0.77
408	2006/04/26	16:55:22	55.1892	4046.36	217.92	16:55:22	55.1892	4045.59	218.13	0.76
409	2006/04/26	17:00:52	55.2808	4045.50	218.20	17:00:52	55.2808	4044.74	218.40	0.76
410	2006/04/26	17:06:22	55.3725	4044.65	218.47	17:06:22	55.3725	4043.90	218.68	0.75
411	2006/04/26	17:11:52	55.4642	4043.80	218.74	17:11:52	55.4642	4043.06	218.95	0.74
412	2006/04/26	17:17:22	55.5558	4042.97	219.00	17:17:22	55.5558	4042.24	219.21	0.73
413	2006/04/26	17:22:52	55.6475	4042.14	219.26	17:22:52	55.6475	4041.42	219.47	0.72
414	2006/04/26	17:28:22	55.7392	4041.31	219.51	17:28:22	55.7392	4040.61	219.72	0.70
415	2006/04/26	17:33:52	55.8308	4040.49	219.76	17:33:52	55.8308	4039.81	219.97	0.68
416	2006/04/26	17:39:22	55.9225	4039.68	220.00	17:39:22	55.9225	4039.01	220.22	0.67
417	2006/04/26	17:44:52	56.0142	4038.89	220.24	17:44:52	56.0142	4038.24	220.46	0.65
418	2006/04/26	17:50:22	56.1058	4038.08	220.47	17:50:22	56.1058	4037.45	220.69	0.63
419	2006/04/26	17:55:52	56.1975	4037.29	220.70	17:55:52	56.1975	4036.67	220.93	0.62
420	2006/04/26	18:01:22	56.2892	4036.50	220.93	18:01:22	56.2892	4035.90	221.15	0.60
421	2006/04/26	18:06:52	56.3808	4035.72	221.15	18:06:52	56.3808	4035.14	221.38	0.58
422	2006/04/26	18:12:22	56.4725	4034.93	221.37	18:12:22	56.4725	4034.37	221.60	0.56
423	2006/04/26	18:17:52	56.5642	4034.15	221.58	18:17:52	56.5642	4033.61	221.82	0.54
424	2006/04/26	18:23:22	56.6558	4033.36	221.79	18:23:22	56.6558	4032.85	222.03	0.51
425	2006/04/26	18:28:52	56.7475	4032.59	222.00	18:28:52	56.7475	4032.10	222.24	0.50
426	2006/04/26	18:34:22	56.8392	4031.83	222.20	18:34:22	56.8392	4031.35	222.44	0.48
427	2006/04/26	18:39:52	56.9308	4031.07	222.40	18:39:52	56.9308	4030.62	222.65	0.45
428	2006/04/26	18:45:22	57.0225	4030.31	222.60	18:45:22	57.0225	4029.88	222.85	0.43
429	2006/04/26	18:50:52	57.1142	4029.55	222.79	18:50:52	57.1142	4029.14	223.04	0.40
430	2006/04/26	18:56:22	57.2058	4028.79	223.00	18:56:22	57.2058	4028.40	223.25	0.39
431	2006/04/26	19:01:52	57.2975	4028.04	223.19	19:01:52	57.2975	4027.67	223.46	0.37
432	2006/04/26	19:07:22	57.3892	4027.28	223.38	19:07:22	57.3892	4026.94	223.65	0.34

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK
 SE NW Sec. 10 T1N-R67W
 Start Test Date: 2006/04/24
 Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
 Formation: Lyons
 Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

Date Clk Time Time Pres. Temp. Clk Time Time Pres. Temp. G1 - G2

yyyy/mm hh:mm:s hr psi(g) °F hh:mm:s hr psi(g) °F psi

481	2006/04/26	23:36:52	61.8808	3994.38	229.59	23:36:52	61.8808	3994.48	229.95	-0.10
482	2006/04/26	23:42:22	61.9725	3993.78	229.68	23:42:22	61.9725	3993.89	230.04	-0.11
483	2006/04/26	23:47:52	62.0642	3993.18	229.77	23:47:52	62.0642	3993.28	230.14	-0.10
484	2006/04/26	23:53:22	62.1558	3992.59	229.85	23:53:22	62.1558	3992.69	230.23	-0.10
485	2006/04/26	23:58:52	62.2475	3992.00	229.93	23:58:52	62.2475	3992.10	230.31	-0.10
486	2006/04/27	00:04:22	62.3392	3991.42	230.02	00:04:22	62.3392	3991.52	230.39	-0.09
487	2006/04/27	00:09:52	62.4308	3990.84	230.10	00:09:52	62.4308	3990.93	230.47	-0.09
488	2006/04/27	00:15:22	62.5225	3990.27	230.18	00:15:22	62.5225	3990.36	230.56	-0.09
489	2006/04/27	00:20:52	62.6142	3989.69	230.26	00:20:52	62.6142	3989.78	230.64	-0.09
490	2006/04/27	00:26:22	62.7058	3989.13	230.34	00:26:22	62.7058	3989.21	230.72	-0.09
491	2006/04/27	00:31:52	62.7975	3988.56	230.43	00:31:52	62.7975	3988.64	230.80	-0.08
492	2006/04/27	00:37:22	62.8892	3987.99	230.52	00:37:22	62.8892	3988.07	230.88	-0.08
493	2006/04/27	00:42:52	62.9808	3987.42	230.59	00:42:52	62.9808	3987.51	230.96	-0.09
494	2006/04/27	00:48:22	63.0725	3986.87	230.66	00:48:22	63.0725	3986.95	231.03	-0.08
495	2006/04/27	00:53:52	63.1642	3986.30	230.72	00:53:52	63.1642	3986.38	231.10	-0.08
496	2006/04/27	00:59:22	63.2558	3985.75	230.79	00:59:22	63.2558	3985.82	231.18	-0.07
497	2006/04/27	01:04:52	63.3475	3985.19	230.86	01:04:52	63.3475	3985.26	231.25	-0.07
498	2006/04/27	01:10:22	63.4392	3984.63	230.94	01:10:22	63.4392	3984.70	231.32	-0.07
499	2006/04/27	01:15:52	63.5308	3984.08	231.00	01:15:52	63.5308	3984.15	231.40	-0.07
500	2006/04/27	01:21:22	63.6225	3983.53	231.06	01:21:22	63.6225	3983.59	231.47	-0.06
501	2006/04/27	01:26:52	63.7142	3983.00	231.14	01:26:52	63.7142	3983.05	231.54	-0.05
502	2006/04/27	01:32:22	63.8058	3982.47	231.21	01:32:22	63.8058	3982.51	231.60	-0.05
503	2006/04/27	01:37:52	63.8975	3981.93	231.28	01:37:52	63.8975	3981.97	231.67	-0.04
504	2006/04/27	01:43:22	63.9892	3981.40	231.35	01:43:22	63.9892	3981.45	231.74	-0.05
505	2006/04/27	01:48:52	64.0808	3980.88	231.42	01:48:52	64.0808	3980.91	231.80	-0.04
506	2006/04/27	01:54:22	64.1725	3980.35	231.49	01:54:22	64.1725	3980.39	231.88	-0.04
507	2006/04/27	01:59:52	64.2642	3979.83	231.54	01:59:52	64.2642	3979.86	231.94	-0.03
508	2006/04/27	02:05:22	64.3558	3979.31	231.62	02:05:22	64.3558	3979.34	232.01	-0.03
509	2006/04/27	02:10:52	64.4475	3978.80	231.69	02:10:52	64.4475	3978.82	232.07	-0.03
510	2006/04/27	02:16:22	64.5392	3978.28	231.75	02:16:22	64.5392	3978.30	232.14	-0.02
511	2006/04/27	02:21:52	64.6308	3977.76	231.81	02:21:52	64.6308	3977.78	232.20	-0.02
512	2006/04/27	02:27:22	64.7225	3977.25	231.88	02:27:22	64.7225	3977.27	232.26	-0.02
513	2006/04/27	02:32:52	64.8142	3976.74	231.94	02:32:52	64.8142	3976.76	232.31	-0.02
514	2006/04/27	02:38:22	64.9058	3976.24	232.00	02:38:22	64.9058	3976.25	232.37	-0.01
515	2006/04/27	02:43:52	64.9975	3975.74	232.05	02:43:52	64.9975	3975.75	232.44	-0.01
516	2006/04/27	02:49:22	65.0892	3975.24	232.12	02:49:22	65.0892	3975.23	232.51	0.00
517	2006/04/27	02:54:52	65.1808	3974.74	232.18	02:54:52	65.1808	3974.73	232.55	0.01
518	2006/04/27	03:00:22	65.2725	3974.25	232.24	03:00:22	65.2725	3974.24	232.60	0.00
519	2006/04/27	03:05:52	65.3642	3973.76	232.29	03:05:52	65.3642	3973.74	232.66	0.02
520	2006/04/27	03:11:22	65.4558	3973.27	232.35	03:11:22	65.4558	3973.25	232.73	0.02
521	2006/04/27	03:16:52	65.5475	3972.79	232.41	03:16:52	65.5475	3972.76	232.79	0.03
522	2006/04/27	03:22:22	65.6392	3972.31	232.47	03:22:22	65.6392	3972.28	232.84	0.03
523	2006/04/27	03:27:52	65.7308	3971.84	232.52	03:27:52	65.7308	3971.80	232.90	0.04
524	2006/04/27	03:33:22	65.8225	3971.36	232.58	03:33:22	65.8225	3971.32	232.96	0.04
525	2006/04/27	03:38:52	65.9142	3970.89	232.64	03:38:52	65.9142	3970.84	233.01	0.05
526	2006/04/27	03:44:22	66.0058	3970.42	232.70	03:44:22	66.0058	3970.36	233.07	0.05
527	2006/04/27	03:49:52	66.0975	3969.95	232.75	03:49:52	66.0975	3969.89	233.12	0.05
528	2006/04/27	03:55:22	66.1892	3969.48	232.81	03:55:22	66.1892	3969.42	233.17	0.06

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK
 SE NW Sec. 10 T1N-R67W
 Start Test Date: 2006/04/24
 Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
 Formation: Lyons
 Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

	Date	Clk	Time	Time	Pres.	Temp.	Clk	Time	Time	Pres.	Temp.	G1 - G2
	yyyy/mm	hh:mm:s	hr		psi(g)	°F	hh:mm:s	hr		psi(g)	°F	psi

577	2006/04/27	08:24:52	70.6808	3949.14	234.98	08:24:52	70.6808	3948.91	235.31	0.23
578	2006/04/27	08:30:22	70.7725	3948.77	235.01	08:30:22	70.7725	3948.53	235.35	0.24
579	2006/04/27	08:35:52	70.8642	3948.39	235.05	08:35:52	70.8642	3948.15	235.39	0.24
580	2006/04/27	08:41:22	70.9558	3948.02	235.09	08:41:22	70.9558	3947.78	235.42	0.24
581	2006/04/27	08:46:52	71.0475	3947.66	235.12	08:46:52	71.0475	3947.41	235.45	0.25
582	2006/04/27	08:52:22	71.1392	3947.29	235.16	08:52:22	71.1392	3947.03	235.50	0.25
583	2006/04/27	08:57:52	71.2308	3946.93	235.20	08:57:52	71.2308	3946.67	235.52	0.26
584	2006/04/27	09:03:22	71.3225	3946.55	235.23	09:03:22	71.3225	3946.30	235.56	0.25
585	2006/04/27	09:08:52	71.4142	3946.19	235.25	09:08:52	71.4142	3945.93	235.59	0.26
586	2006/04/27	09:14:22	71.5058	3945.84	235.29	09:14:22	71.5058	3945.57	235.62	0.26
587	2006/04/27	09:19:52	71.5975	3945.48	235.33	09:19:52	71.5975	3945.21	235.65	0.27
588	2006/04/27	09:25:22	71.6892	3945.11	235.37	09:25:22	71.6892	3944.85	235.70	0.26
589	2006/04/27	09:30:52	71.7808	3944.76	235.40	09:30:52	71.7808	3944.49	235.73	0.27
590	2006/04/27	09:36:22	71.8725	3944.40	235.43	09:36:22	71.8725	3944.13	235.77	0.27
591	2006/04/27	09:41:52	71.9642	3944.04	235.47	09:41:52	71.9642	3943.77	235.79	0.27
592	2006/04/27	09:50:34	72.1092	3943.53	235.51	09:50:34	72.1092	3943.24	235.84	0.29
593	2006/04/27	10:01:34	72.2925	3942.83	235.58	10:01:34	72.2925	3942.53	235.90	0.29
594	2006/04/27	10:12:34	72.4758	3942.14	235.64	10:12:34	72.4758	3941.84	235.96	0.30
595	2006/04/27	10:23:34	72.6592	3941.46	235.70	10:23:34	72.6592	3941.15	236.04	0.31
596	2006/04/27	10:34:34	72.8425	3940.78	235.76	10:34:34	72.8425	3940.47	236.10	0.31
597	2006/04/27	10:45:34	73.0258	3940.13	235.82	10:45:34	73.0258	3939.82	236.16	0.31
598	2006/04/27	10:56:34	73.2092	3939.47	235.88	10:56:34	73.2092	3939.16	236.22	0.32
599	2006/04/27	11:07:34	73.3925	3938.82	235.95	11:07:34	73.3925	3938.51	236.27	0.32
600	2006/04/27	11:18:34	73.5758	3938.19	236.03	11:18:34	73.5758	3937.87	236.33	0.32
601	2006/04/27	11:29:34	73.7592	3937.55	236.09	11:29:34	73.7592	3937.23	236.38	0.32
602	2006/04/27	11:40:34	73.9425	3936.91	236.15	11:40:34	73.9425	3936.59	236.45	0.32
603	2006/04/27	11:51:34	74.1258	3936.28	236.22	11:51:34	74.1258	3935.95	236.51	0.33
604	2006/04/27	12:02:34	74.3092	3935.65	236.25	12:02:34	74.3092	3935.32	236.58	0.33
605	2006/04/27	12:13:34	74.4925	3935.02	236.31	12:13:34	74.4925	3934.70	236.62	0.33
606	2006/04/27	12:24:34	74.6758	3934.41	236.38	12:24:34	74.6758	3934.08	236.67	0.33
607	2006/04/27	12:35:34	74.8592	3933.82	236.44	12:35:34	74.8592	3933.48	236.72	0.33
608	2006/04/27	12:46:34	75.0425	3933.22	236.48	12:46:34	75.0425	3932.89	236.77	0.34
609	2006/04/27	12:57:34	75.2258	3932.64	236.53	12:57:34	75.2258	3932.30	236.82	0.34
610	2006/04/27	13:08:34	75.4092	3932.06	236.58	13:08:34	75.4092	3931.72	236.87	0.35
611	2006/04/27	13:19:34	75.5925	3931.48	236.64	13:19:34	75.5925	3931.14	236.93	0.34
612	2006/04/27	13:30:34	75.7758	3930.90	236.69	13:30:34	75.7758	3930.55	236.98	0.35
613	2006/04/27	13:41:34	75.9592	3930.32	236.73	13:41:34	75.9592	3929.98	237.04	0.35
614	2006/04/27	13:52:34	76.1425	3929.76	236.80	13:52:34	76.1425	3929.41	237.08	0.35
615	2006/04/27	14:03:34	76.3258	3929.20	236.86	14:03:34	76.3258	3928.85	237.13	0.35
616	2006/04/27	14:14:34	76.5092	3928.64	236.89	14:14:34	76.5092	3928.29	237.18	0.35
617	2006/04/27	14:25:34	76.6925	3928.09	236.95	14:25:34	76.6925	3927.74	237.23	0.35
618	2006/04/27	14:36:34	76.8758	3927.55	237.00	14:36:34	76.8758	3927.20	237.28	0.35
619	2006/04/27	14:47:34	77.0592	3927.01	237.05	14:47:34	77.0592	3926.66	237.33	0.35
620	2006/04/27	14:58:34	77.2425	3926.48	237.09	14:58:34	77.2425	3926.13	237.37	0.35
621	2006/04/27	15:09:34	77.4258	3925.94	237.13	15:09:34	77.4258	3925.59	237.42	0.36
622	2006/04/27	15:20:34	77.6092	3925.40	237.17	15:20:34	77.6092	3925.04	237.47	0.36
623	2006/04/27	15:31:34	77.7925	3924.87	237.21	15:31:34	77.7925	3924.51	237.52	0.36
624	2006/04/27	15:42:34	77.9758	3924.34	237.26	15:42:34	77.9758	3923.98	237.55	0.36

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK

SE NW Sec. 10 T1N-R67W

Start Test Date: 2006/04/24

Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1

Formation: Lyons

Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

Date Clk Time Time Pres. Temp. Clk Time Time Pres. Temp. G1 - G2

yyyy/mm hh:mm:s hr psi(g) °F hh:mm:s hr psi(g) °F psi

673	2006/04/28	00:41:34	86.9592	3902.05	239.07	00:41:34	86.9592	3901.76	239.35	0.29
674	2006/04/28	00:52:34	87.1425	3901.66	239.10	00:52:34	87.1425	3901.36	239.37	0.30
675	2006/04/28	01:03:34	87.3258	3901.26	239.13	01:03:34	87.3258	3900.97	239.40	0.29
676	2006/04/28	01:14:34	87.5092	3900.87	239.17	01:14:34	87.5092	3900.58	239.43	0.29
677	2006/04/28	01:25:34	87.6925	3900.48	239.21	01:25:34	87.6925	3900.19	239.46	0.29
678	2006/04/28	01:36:34	87.8758	3900.09	239.23	01:36:34	87.8758	3899.80	239.48	0.28
679	2006/04/28	01:47:34	88.0592	3899.71	239.25	01:47:34	88.0592	3899.42	239.52	0.29
680	2006/04/28	01:58:34	88.2425	3899.32	239.28	01:58:34	88.2425	3899.04	239.55	0.29
681	2006/04/28	02:09:34	88.4258	3898.94	239.30	02:09:34	88.4258	3898.66	239.56	0.28
682	2006/04/28	02:20:34	88.6092	3898.56	239.34	02:20:34	88.6092	3898.28	239.60	0.27
683	2006/04/28	02:31:34	88.7925	3898.18	239.35	02:31:34	88.7925	3897.90	239.62	0.28
684	2006/04/28	02:42:34	88.9758	3897.80	239.38	02:42:34	88.9758	3897.53	239.65	0.27
685	2006/04/28	02:53:34	89.1592	3897.43	239.42	02:53:34	89.1592	3897.16	239.68	0.27
686	2006/04/28	03:04:34	89.3425	3897.06	239.44	03:04:34	89.3425	3896.80	239.71	0.26
687	2006/04/28	03:15:34	89.5258	3896.70	239.47	03:15:34	89.5258	3896.44	239.74	0.27
688	2006/04/28	03:26:34	89.7092	3896.35	239.49	03:26:34	89.7092	3896.08	239.76	0.27
689	2006/04/28	03:37:34	89.8925	3896.00	239.52	03:37:34	89.8925	3895.73	239.79	0.26
690	2006/04/28	03:48:34	90.0758	3895.65	239.55	03:48:34	90.0758	3895.39	239.81	0.26
691	2006/04/28	03:59:34	90.2592	3895.31	239.58	03:59:34	90.2592	3895.06	239.82	0.25
692	2006/04/28	04:10:34	90.4425	3894.97	239.60	04:10:34	90.4425	3894.72	239.86	0.25
693	2006/04/28	04:21:34	90.6258	3894.63	239.63	04:21:34	90.6258	3894.38	239.89	0.25
694	2006/04/28	04:32:34	90.8092	3894.29	239.65	04:32:34	90.8092	3894.05	239.93	0.24
695	2006/04/28	04:43:34	90.9925	3893.97	239.69	04:43:34	90.9925	3893.72	239.96	0.24
696	2006/04/28	04:54:34	91.1758	3893.64	239.71	04:54:34	91.1758	3893.40	239.98	0.24
697	2006/04/28	05:05:34	91.3592	3893.31	239.74	05:05:34	91.3592	3893.08	240.00	0.23
698	2006/04/28	05:16:34	91.5425	3892.99	239.77	05:16:34	91.5425	3892.76	240.02	0.23
699	2006/04/28	05:27:34	91.7258	3892.67	239.82	05:27:34	91.7258	3892.44	240.08	0.23
700	2006/04/28	05:38:34	91.9092	3892.35	239.87	05:38:34	91.9092	3892.13	240.13	0.22
701	2006/04/28	05:49:34	92.0925	3892.03	239.93	05:49:34	92.0925	3891.81	240.18	0.22
702	2006/04/28	06:00:34	92.2758	3891.71	240.00	06:00:34	92.2758	3891.49	240.24	0.22
703	2006/04/28	06:11:34	92.4592	3891.39	240.06	06:11:34	92.4592	3891.18	240.30	0.21
704	2006/04/28	06:22:34	92.6425	3891.05	240.11	06:22:34	92.6425	3890.85	240.35	0.21
705	2006/04/28	06:33:34	92.8258	3890.73	240.16	06:33:34	92.8258	3890.53	240.40	0.20
706	2006/04/28	06:44:34	93.0092	3890.41	240.22	06:44:34	93.0092	3890.22	240.45	0.19
707	2006/04/28	06:55:34	93.1925	3890.09	240.27	06:55:34	93.1925	3889.90	240.49	0.19
708	2006/04/28	07:06:34	93.3758	3889.76	240.30	07:06:34	93.3758	3889.58	240.54	0.18
709	2006/04/28	07:17:34	93.5592	3889.43	240.34	07:17:34	93.5592	3889.26	240.57	0.18
710	2006/04/28	07:28:34	93.7425	3889.11	240.39	07:28:34	93.7425	3888.93	240.60	0.18
711	2006/04/28	07:39:34	93.9258	3888.78	240.42	07:39:34	93.9258	3888.61	240.64	0.17
712	2006/04/28	07:50:34	94.1092	3888.45	240.47	07:50:34	94.1092	3888.28	240.68	0.17
713	2006/04/28	08:01:34	94.2925	3888.11	240.50	08:01:34	94.2925	3887.95	240.71	0.16
714	2006/04/28	08:12:34	94.4758	3887.78	240.53	08:12:34	94.4758	3887.63	240.74	0.15
715	2006/04/28	08:23:34	94.6592	3887.45	240.56	08:23:34	94.6592	3887.30	240.78	0.15
716	2006/04/28	08:34:34	94.8425	3887.12	240.60	08:34:34	94.8425	3886.97	240.81	0.15
717	2006/04/28	08:45:34	95.0258	3886.80	240.62	08:45:34	95.0258	3886.65	240.84	0.15
718	2006/04/28	08:56:34	95.2092	3886.47	240.66	08:56:34	95.2092	3886.32	240.87	0.15
719	2006/04/28	09:07:34	95.3925	3886.14	240.69	09:07:34	95.3925	3886.00	240.90	0.14
720	2006/04/28	09:18:34	95.5758	3885.81	240.72	09:18:34	95.5758	3885.68	240.91	0.13

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK
 SE NW Sec. 10 T1N-R67W
 Start Test Date: 2006/04/24
 Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1
 Formation: Lyons
 Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

	Date	Clk Time	Time	Pres.	Temp.	Clk Time	Time	Pres.	Temp.	G1 - G2
	yyyy/mm	hh:mm:s	hr	psi(g)	°F	hh:mm:s	hr	psi(g)	°F	psi

769	2006/04/28	18:17:34	104.5592	3871.41	241.67	18:17:34	104.5592	3871.50	241.89	-0.09
770	2006/04/28	18:28:34	104.7425	3871.15	241.68	18:28:34	104.7425	3871.24	241.90	-0.09
771	2006/04/28	18:39:34	104.9258	3870.89	241.70	18:39:34	104.9258	3870.99	241.92	-0.10
772	2006/04/28	18:50:34	105.1092	3870.63	241.71	18:50:34	105.1092	3870.73	241.93	-0.10
773	2006/04/28	19:01:34	105.2925	3870.37	241.73	19:01:34	105.2925	3870.47	241.95	-0.11
774	2006/04/28	19:12:34	105.4758	3870.11	241.74	19:12:34	105.4758	3870.21	241.96	-0.10
775	2006/04/28	19:23:34	105.6592	3869.85	241.76	19:23:34	105.6592	3869.96	241.98	-0.11
776	2006/04/28	19:34:34	105.8425	3869.59	241.78	19:34:34	105.8425	3869.71	242.00	-0.12
777	2006/04/28	19:45:34	106.0258	3869.33	241.79	19:45:34	106.0258	3869.45	242.01	-0.12
778	2006/04/28	19:56:34	106.2092	3869.07	241.80	19:56:34	106.2092	3869.20	242.03	-0.13
779	2006/04/28	20:07:34	106.3925	3868.81	241.82	20:07:34	106.3925	3868.95	242.05	-0.14
780	2006/04/28	20:18:34	106.5758	3868.55	241.84	20:18:34	106.5758	3868.68	242.06	-0.13
781	2006/04/28	20:29:34	106.7592	3868.29	241.86	20:29:34	106.7592	3868.43	242.08	-0.14
782	2006/04/28	20:40:34	106.9425	3868.03	241.87	20:40:34	106.9425	3868.18	242.10	-0.15
783	2006/04/28	20:51:34	107.1258	3867.77	241.89	20:51:34	107.1258	3867.92	242.10	-0.14
784	2006/04/28	21:02:34	107.3092	3867.51	241.90	21:02:34	107.3092	3867.66	242.12	-0.15
785	2006/04/28	21:13:34	107.4925	3867.25	241.91	21:13:34	107.4925	3867.41	242.14	-0.16
786	2006/04/28	21:24:34	107.6758	3866.99	241.94	21:24:34	107.6758	3867.15	242.16	-0.16
787	2006/04/28	21:35:34	107.8592	3866.72	241.95	21:35:34	107.8592	3866.89	242.18	-0.17
788	2006/04/28	21:49:34	108.0925	3866.38	241.97	21:48:37	108.0767	3866.59	242.20	-0.19
789	2006/04/28	22:11:34	108.4592	3865.88	242.00	22:10:37	108.4433	3866.08	242.23	-0.18
790	2006/04/28	22:33:34	108.8258	3865.35	242.03	22:32:37	108.8100	3865.57	242.26	-0.19
791	2006/04/28	22:55:34	109.1925	3864.83	242.06	22:54:37	109.1767	3865.05	242.29	-0.20
792	2006/04/28	23:17:34	109.5592	3864.31	242.09	23:16:37	109.5433	3864.54	242.33	-0.21
793	2006/04/28	23:39:34	109.9258	3863.79	242.12	23:38:37	109.9100	3864.03	242.36	-0.23
794	2006/04/29	00:01:34	110.2925	3863.28	242.14	00:00:37	110.2767	3863.53	242.37	-0.23
795	2006/04/29	00:23:34	110.6592	3862.77	242.17	00:22:37	110.6433	3863.03	242.40	-0.23
796	2006/04/29	00:45:34	111.0258	3862.27	242.20	00:44:37	111.0100	3862.53	242.43	-0.25
797	2006/04/29	01:07:34	111.3925	3861.77	242.23	01:06:37	111.3767	3862.05	242.46	-0.26
798	2006/04/29	01:29:34	111.7592	3861.28	242.25	01:28:37	111.7433	3861.57	242.48	-0.27
799	2006/04/29	01:51:34	112.1258	3860.79	242.27	01:50:37	112.1100	3861.09	242.51	-0.28
800	2006/04/29	02:13:34	112.4925	3860.31	242.30	02:12:37	112.4767	3860.62	242.53	-0.29
801	2006/04/29	02:35:34	112.8592	3859.84	242.32	02:34:37	112.8433	3860.15	242.56	-0.30
802	2006/04/29	02:57:34	113.2258	3859.37	242.34	02:56:37	113.2100	3859.70	242.59	-0.31
803	2006/04/29	03:19:34	113.5925	3858.91	242.37	03:18:37	113.5767	3859.24	242.61	-0.32
804	2006/04/29	03:41:34	113.9592	3858.45	242.39	03:40:37	113.9433	3858.80	242.63	-0.33
805	2006/04/29	04:03:34	114.3258	3858.00	242.42	04:02:37	114.3100	3858.35	242.65	-0.33
806	2006/04/29	04:25:34	114.6925	3857.56	242.44	04:24:37	114.6767	3857.92	242.68	-0.34
807	2006/04/29	04:47:34	115.0592	3857.12	242.45	04:46:37	115.0433	3857.49	242.70	-0.35
808	2006/04/29	05:09:34	115.4258	3856.68	242.48	05:08:37	115.4100	3857.05	242.72	-0.36
809	2006/04/29	05:31:34	115.7925	3856.24	242.50	05:30:37	115.7767	3856.63	242.74	-0.37
810	2006/04/29	05:53:34	116.1592	3855.81	242.53	05:52:37	116.1433	3856.21	242.77	-0.37
811	2006/04/29	06:15:34	116.5258	3855.39	242.54	06:14:37	116.5100	3855.78	242.79	-0.38
812	2006/04/29	06:37:34	116.8925	3854.94	242.58	06:36:37	116.8767	3855.34	242.81	-0.39
813	2006/04/29	06:59:34	117.2592	3854.49	242.60	06:58:37	117.2433	3854.91	242.84	-0.40
814	2006/04/29	07:21:34	117.6258	3854.05	242.63	07:20:37	117.6100	3854.47	242.87	-0.40
815	2006/04/29	07:43:34	117.9925	3853.61	242.65	07:42:37	117.9767	3854.05	242.90	-0.42
816	2006/04/29	08:05:34	118.3592	3853.17	242.68	08:04:37	118.3433	3853.61	242.91	-0.42

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point

KPK

SE NW Sec. 10 T1N-R67W

Start Test Date: 2006/04/24

Final Test Date: 2006/05/01

Suckla Farms Inj. Well #1

Formation: Lyons

Pool: Lyons

Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 1 Gauge 2 Gauge 2 Gauge 2 Gauge 2 Diff.

Date Clk Time Time Pres. Temp. Clk Time Time Pres. Temp. G1 - G2

yyyy/mm hh:mm:s hr psi(g) °F hh:mm:s hr psi(g) °F psi

865	2006/04/30	02:03:34	136.3258	3834.24	243.61	02:02:37	136.3100	3834.89	243.88	-0.64
866	2006/04/30	02:25:34	136.6925	3833.89	243.62	02:24:37	136.6767	3834.54	243.90	-0.64
867	2006/04/30	02:47:34	137.0592	3833.55	243.63	02:46:37	137.0433	3834.20	243.91	-0.64
868	2006/04/30	03:09:34	137.4258	3833.21	243.65	03:08:37	137.4100	3833.87	243.92	-0.64
869	2006/04/30	03:31:34	137.7925	3832.88	243.66	03:30:37	137.7767	3833.54	243.94	-0.64
870	2006/04/30	03:53:34	138.1592	3832.54	243.68	03:52:37	138.1433	3833.20	243.96	-0.65
871	2006/04/30	04:15:34	138.5258	3832.21	243.69	04:14:37	138.5100	3832.88	243.97	-0.66
872	2006/04/30	04:37:34	138.8925	3831.89	243.70	04:36:37	138.8767	3832.56	243.98	-0.65
873	2006/04/30	04:59:34	139.2592	3831.57	243.71	04:58:37	139.2433	3832.24	244.00	-0.66
874	2006/04/30	05:21:34	139.6258	3831.24	243.72	05:20:37	139.6100	3831.91	244.02	-0.66
875	2006/04/30	05:43:34	139.9925	3830.92	243.74	05:42:37	139.9767	3831.59	244.02	-0.66
876	2006/04/30	06:05:34	140.3592	3830.59	243.76	06:04:37	140.3433	3831.27	244.04	-0.66
877	2006/04/30	06:27:34	140.7258	3830.26	243.78	06:26:37	140.7100	3830.94	244.06	-0.66
878	2006/04/30	06:49:34	141.0925	3829.94	243.81	06:48:37	141.0767	3830.62	244.08	-0.67
879	2006/04/30	07:11:34	141.4592	3829.62	243.81	07:10:37	141.4433	3830.30	244.09	-0.66
880	2006/04/30	07:33:34	141.8258	3829.29	243.83	07:32:37	141.8100	3829.97	244.11	-0.67
881	2006/04/30	07:55:34	142.1925	3828.98	243.85	07:54:37	142.1767	3829.66	244.13	-0.67
882	2006/04/30	08:17:34	142.5592	3828.65	243.87	08:16:37	142.5433	3829.34	244.15	-0.67
883	2006/04/30	08:39:34	142.9258	3828.34	243.87	08:38:37	142.9100	3829.02	244.15	-0.67
884	2006/04/30	09:01:34	143.2925	3827.99	243.89	09:00:37	143.2767	3828.69	244.17	-0.68
885	2006/04/30	09:23:34	143.6592	3827.65	243.91	09:22:37	143.6433	3828.35	244.20	-0.68
886	2006/04/30	09:45:34	144.0258	3827.32	243.91	09:44:37	144.0100	3828.02	244.20	-0.68
887	2006/04/30	10:07:34	144.3925	3827.00	243.94	10:06:37	144.3767	3827.70	244.22	-0.68
888	2006/04/30	10:29:34	144.7592	3826.68	243.96	10:28:37	144.7433	3827.38	244.24	-0.68
889	2006/04/30	10:51:34	145.1258	3826.35	243.97	10:50:37	145.1100	3827.05	244.25	-0.69
890	2006/04/30	11:13:34	145.4925	3826.03	243.98	11:12:37	145.4767	3826.73	244.26	-0.68
891	2006/04/30	11:35:34	145.8592	3825.70	244.00	11:34:37	145.8433	3826.41	244.28	-0.69
892	2006/04/30	11:57:34	146.2258	3825.38	244.02	11:56:37	146.2100	3826.08	244.30	-0.69
893	2006/04/30	12:19:34	146.5925	3825.06	244.04	12:18:37	146.5767	3825.76	244.32	-0.69
894	2006/04/30	12:41:34	146.9592	3824.74	244.05	12:40:37	146.9433	3825.45	244.33	-0.69
895	2006/04/30	13:03:34	147.3258	3824.43	244.06	13:02:37	147.3100	3825.13	244.34	-0.69
896	2006/04/30	13:25:34	147.6925	3824.12	244.07	13:24:37	147.6767	3824.83	244.36	-0.69
897	2006/04/30	13:47:34	148.0592	3823.82	244.09	13:46:37	148.0433	3824.53	244.36	-0.69
898	2006/04/30	14:09:34	148.4258	3823.51	244.10	14:08:37	148.4100	3824.22	244.38	-0.70
899	2006/04/30	14:31:34	148.7925	3823.21	244.11	14:30:37	148.7767	3823.92	244.39	-0.69
900	2006/04/30	14:53:34	149.1592	3822.92	244.13	14:52:37	149.1433	3823.63	244.41	-0.70
901	2006/04/30	15:15:34	149.5258	3822.63	244.13	15:14:37	149.5100	3823.34	244.42	-0.70
902	2006/04/30	15:37:34	149.8925	3822.35	244.15	15:36:37	149.8767	3823.06	244.42	-0.70
903	2006/04/30	15:59:34	150.2592	3822.07	244.15	15:58:37	150.2433	3822.79	244.44	-0.70
904	2006/04/30	16:21:34	150.6258	3821.80	244.16	16:20:37	150.6100	3822.51	244.45	-0.70
905	2006/04/30	16:43:34	150.9925	3821.53	244.17	16:42:37	150.9767	3822.24	244.45	-0.71
906	2006/04/30	17:05:34	151.3592	3821.26	244.18	17:04:37	151.3433	3821.98	244.47	-0.71
907	2006/04/30	17:27:34	151.7258	3821.00	244.19	17:26:37	151.7100	3821.73	244.49	-0.71
908	2006/04/30	17:49:34	152.0925	3820.75	244.21	17:48:37	152.0767	3821.47	244.50	-0.71
909	2006/04/30	18:11:34	152.4592	3820.49	244.23	18:10:37	152.4433	3821.21	244.51	-0.71
910	2006/04/30	18:33:34	152.8258	3820.23	244.23	18:32:37	152.8100	3820.95	244.51	-0.71
911	2006/04/30	18:55:34	153.1925	3819.97	244.24	18:54:37	153.1767	3820.69	244.52	-0.71
912	2006/04/30	19:17:34	153.5592	3819.72	244.26	19:16:37	153.5433	3820.43	244.54	-0.70

Gauge 1 Serial Number: 5345 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.50

Gauge 2 Serial Number: 5167 Start Date: 2006/04/24 09:44:01 Run Depth: 9029.00

Print Filter: Print every 22th point